

Accessories for DSLR cameras with video function

Canon EOS 5D MKII, Canon 550D, Canon EOS 7D, Nikon D90, Canon 1D Mark IV,
Canon EOS 5D MKII with battery pack, Nikon D3S and others with similar camera body size



Product catalogue DSLR accessories 09/2010

Lightweight support
Follow focus system– Studio rig
MatteBox
Fluid zoom drive
MonitorPack, lens support bracket
Carrying handle, hand bars

Octica Professional Ltd

Unit 3 Tims Boatyard,
Tims Way, Staines, Middlesex, England
Phone +44-(0)1784-450-506, Fax +44-(0)1874-449-646
Web www.octica.tv E-mail info@octica.tv

Accessories for DSLR cameras with video function

Canon EOS 5D MKII, Canon 550D, Canon EOS 7D, Nikon D90, Canon 1D Mark IV,
Canon EOS 5D MKII with battery pack, Nikon D3S and others with similar camera body size



Lightweight support



LWS Lightweight supports:

LWS consist of a base plate / construction which sets the camera to a standard height, rod clamping and the actual support rods. These aluminium rods have a Ø of 15mm.

With the suitable LWS for your camera, various accessories are compatible, e.g. follow focus system, MatteBox, lens support brackets and others.

The lightweight support 401-421S comes with a twist stopper (see picture right)

LWS 401-93 for Canon EOS 1D holds the camera in place by means of rod clamping (see picture above).

For tripod use a 1/4" and 3/8" thread on the basic unit of your support is available.



401-83
extension rods

The standard rods for Chrosziel lightweight supports have a screw-in thread, for optional use extension rods.

Lightweight support, choose according to your camera:

- 401-421S** LWS Lightweight support with twist stopper for DSLR e.g. Canon EOS 5D MKII, Canon 550D, Canon EOS 7D Nikon D90 with rods Ø 15mm, length 205mm
- 401-425** LWS Lightweight support for EOS 7D with FGV PL54 Bayonet with wedge plate and rods Ø 15mm, length 205mm
- 401-93** LWS Lightweight support for DSLR camera with big size housing, e.g. Canon 1D MK IV, Canon 5D MK II with battery pack, Nikon D3 with rods Ø 15mm, length 100mm

Accessories for your lightweight support:

- 401-01VT** VariTube® telescopic rods (1 pair), length 150-230mm
- 401-14** Extension rods 50mm (1 pair)
- 401-83** Extension rods 100mm (1 pair)
- 401-83-190** Extension rods 190mm (1 pair)



401-421S
Lightweight support DSLR (see above), incl. twist stopper for a.m. cameras and others with same camera body size



401-425
Lightweight support for Canon EOS 7D with FGV PL54 Bayonet mount, incl. wedge plate for mounting on quick-lock resp. tripod plate



401-93
Lightweight support DSLR cameras with big size housing, e.g. Canon 1D MK IV, Nikon D3, Canon 5D MK II with battery pack



401-01VT
VariTube® telescopic rods are adjustable in length from 150mm – 230mm e.g. for 401-93 LWS

Accessories for DSLR cameras with video function

Canon EOS 5D MKII, Canon 550D, Canon EOS 7D, Nikon D90, Canon 1D Mark IV,
Canon EOS 5D MKII with battery pack, Nikon D3S and others with similar camera body size



Rec. retail price

Follow focus system - Studio Rig



Follow focus system:

- 206-01S-12** DV Studio Rig follow focus system, complete with handwheel, scale, focus drive mod 0.8
- 206-40S** Studio Rig Photo with reverse gear, complete with handwheel, scale, focus drive mod 0.8
- 206-50S-12** DV Studio Rig follow focus system, complete with VariLock® handwheel, scale, focus drive 0.8
- 206-45S** Studio Rig Photo with reverse gear, complete with VariLock® handwheel, scale, focus drive 0.8

Gear ring, please choose according to your lens (all mod. 0.8):

- 201-19** Gear ring fix for Canon EF 24-105mm Ø 82mm
- 206-753** Gear ring splitted for Canon EF-S 18-135mm Ø 75.3mm
- 206-720** Gear ring splitted for Canon EF 15-85mm Ø 72.0mm
- 206-836** Gear ring splitted for Canon EF 24-70mm Ø 83.6 mm
- 206-30** Gear ring flexible adjustable, for photo lenses Ø 60-120mm, rotation angle approx. 270-320°

Follow focus system:

Helps you to pull focus precisely and to mark your focus range on the scale of the handwheel. Already adjusted for the next shoot.

The mentioned Studio Rigs are equipped with 15mm rod clamping, handwheel with scale and focus drive mod 0.8.

To mount your follow focus system, use a 15mm rod system
Please choose the suitable lightweight support for your camera.

VariLock® handwheel – gives you the opportunity to fix two variable focus points – can allow working without an additional operator.



206-40S & 206-45S Studio Rigs are equipped with a reverse gear. Some lenses rotate against the standard rotating direction (standard e.g. Canon EF) therefore a reverse gear is necessary to revert back to the usual rotating direction.



Accessories for DSLR cameras with video function

Canon EOS 5D MKII, Canon 550D, Canon EOS 7D, Nikon D90, Canon 1D Mark IV,
Canon EOS 5D MKII with battery pack, Nikon D3S and others with similar camera body size



Follow focus systems - Studio Rig Kits



*Picture shows Canon EOS 1D:
mounted with individual components – consisting of:
206-01S-12 DV Studio Rig with focus drive mod 0.8
206-30 Gear ring FlexibleGearRing
401-93 Lightweight support*

We offer Kits especially composed according to your camera and lens:

- 206-EOS5Dkit** Follow focus kit for Canon 5D with Canon EF 24-105mm, consisting of:
206-01S DV Studio Rig follow focus system, cpl. with handwheel & scale + focus lever
206-12 Focus drive for gear rings, mod 0.8, Ø 36.8, 44 teeth
201-19 Gear ring fixed, for Canon EF 24-105mm 1:4 IS UMS Ø 82mm
401-421S LWS Lightweight support, incl. twist stopper for DSLR with video function
- 206-EOS7Dkit** Follow focus kit for Canon 7D with Canon EF-S 18-135mm, consisting of:
206-01S DV Studio Rig follow focus system, cpl. with handwheel & scale + focus lever
206-12 Focus drive for gear rings, mod 0.8, Ø 36.8, 44 teeth
206-753 Gear ring fixed, for Canon EF-S 18-135mm, Ø 75.3mm
401-421S LWS Lightweight support, incl. twist stopper for DSLR with video function
- 206-DSLRskit** Follow focus basic-kit for DSLR cameras, consisting of:
206-40S Studio Rig Photo, complete with scale, reverse gear & focus drive mod. 0.8
206-30 Gear ring flexible, adjustable from Ø 60 - 120mm (e.g. for Nikon D90 lenses)
401-421S LWS Lightweight support, incl. twist stopper for DSLR with video function

*If you use other lenses or other combinations, please
create your own package corresponding to your application.*

*In conjunction with Schneider-Kreuznach Cine-Xenar
lenses, we offer further Mattebox and StudioRig Kits for
Canon EOS 7D and Canon EOS 7D with PL mount.*

Accessories for DSLR cameras with video function

Canon EOS 5D MKII, Canon 550D, Canon EOS 7D, Nikon D90, Canon 1D Mark IV,
Canon EOS 5D MKII with battery pack, Nikon D3S and others with similar camera body size



MatteBox, SunShade – for use of filters and for light prevention



MatteBox 450-R20 with 450-20 Flexi-Insert ring, mounted on 401-93 lightweight support on Canon EOS 1D camera.

MatteBoxes and SunShades allow the use of glass filters. They improve picture quality because they prevent stray light.

Lenses with a tube or rotating front element can only be used with restrictions.

MatteBox to mount on 15mm lightweight support rods:

- 450-R20** MatteBox 450R2 with double rotating filterstage, 16:9 mask, French Flag (450-11), 2 rotating filterholders 4x4 (402-12) and multifomat-filterholder 4x4/4x5.650 (410-04), pivot mechanism (for use of additional side wings), rod clamping for LWS Ø 15mm, end plate with thread Ø110mm
- 450-R10** MatteBox 450R1, incl. French Flag 450-12, 1 rotating filterholder multifomat 4x4/4x5.650 (410-04), rod clamping for Ø 15mm rods, end plate Ø110mm
- 450-20** Flexi-Insert ring with Ø 110mm thread for use on lenses with external diameter from Ø 75mm to Ø 98mm
- 450-22** Flexi-Insert ring with Ø 110mm thread for use on lenses with external diameter from 50 mm to 85 mm
- 410-39P** Insert ring Ø 110:85 mm (with 22mm tube) for lenses with focus prestroke
- 450-10** Set of side wings (left and right) for MB 450-R20
- 450-10PM** Set of side wings (left and right), incl. pivot mechanism for MB 450-R10

SunShade for standard lens on Canon EOS 7D - Canon EF-S 18-135mm:

- S1001** SunShade 3x3 incl. 2 filterholders 3x3, 1x rotating 160° and 1x fix, clamp adaptor Ø 85mm
- S1001-67** Adaptor Ø 85:M 67mm for standard lens Canon EF-S 18-135mm

To mount your MatteBox system, use a 15mm rod system. Please choose the suitable lightweight support for your camera.



SunShade S1001 mounted on Canon EOS 7D with Canon EF-S 18-135mm



*450-R10
MatteBox with 1 filterstage*



*410-39P
Insert ring
with tube*



*450-20
Flexi-Insert ring, can be enlarged to
fit on various lens diameters*



Accessories for DSLR cameras with video function

Canon EOS 5D MKII, Canon 550D, Canon EOS 7D, Nikon D90, Canon 1D Mark IV,
Canon EOS 5D MKII with battery pack, Nikon D3S and others with similar camera body size



Fluid zoom drive



Fluid zoom drive:

102-13 Fluid zoom drive mod. 0.8, incl. 2 zoom sticks (short and long)
EU15 Extension unit Ø 15:15mm, with short rod Ø 15mm

Gear ring, please choose according to your lens (all mod 0.8):

206-740 Gear ring fixed for Zoom on Canon EF-S 18-135mm, Ø 74.0mm
206-785 Gear ring split for Zoom on Canon EF 24-105mm 1:4.0 ISUMS, Ø 78.5mm
206-836 Gear ring split for Zoom on Canon EF 24-70mm Ø 83.6 mm
206-30 Flexi Gear ring flexible adjustable, for photo lenses Ø 60-120mm, rotation angle approx. 270-320°

Fluid zoom drive

Allows smooth zoom control. The integrated damping mechanism adjusts variably and adapts to the zoom behaviour of each lens.

Even extremely smooth-running zoom gears can be operated smoothly and with high precision.

To mount your Fluid zoom drive, use a 15mm rod system. Please choose the suitable lightweight support for your camera.



Fluid Zoom Drive mounted on lightweight support, incl. further Chrosziel accessories on Canon EOS 5D MK II



206-740
Gear ring

206-30
Gear ring, flexible



Recommendation - EU15:

This bracket increases the mounting radius of your Fluid zoom drive to dia 15mm LWS rods. Required for short zoom lenses and with further combination accessories like follow focus etc.

Accessories for DSLR cameras with video function

Canon EOS 5D MKII, Canon 550D, Canon EOS 7D, Nikon D90, Canon 1D Mark IV,
Canon EOS 5D MKII with battery pack, Nikon D3S and others with similar camera body size



MonitorPack, lens support bracket



MonitorPack:

550-01 MonitorPack DSLR consisting of:

- 7" Monitor with HDMI input, incl. battery adaptor
- 4000 mAh Li-Ion battery (type: Sony NP-Q Battery 7.2V)
- charger with power supply and plug for car outlet
- HDMI cable-adaptor 0,5m
- articulated arm (550-MA) with 1/4" threads

550-MA Articulated arm with central clamp and two 1/4" threads
(already included with 550-01)

Lens support bracket :

401-33 Lens support bracket Universal Photo, for lenses Ø50 to 120mm

401-34 Lens support bracket Tele, for Tele lenses with 1/4" tripod-connection, adjustable between 4 to 11mm above support rods

To mount your lens support bracket, use a 15mm rod system. Please choose the suitable lightweight support for your camera.

MonitorPack 550-01 mounted with 1/4" thread on light weight support with further accessories.



Lens support bracket 401-33 mounted on 15mm lightweight support rods to release the lens mount of your camera.



401-33 (on LWS 401-421S)
Lens support with reverse lock nut screw. With the 5mm pivot of the screw the tripod connection of tele lens can be used to support the lens.



401-34
Lens support with 1/4" connection



550-01
MonitorPack delivery range

Accessories for DSLR cameras with video function

Canon EOS 5D MKII, Canon 550D, Canon EOS 7D, Nikon D90, Canon 1D Mark IV,
Canon EOS 5D MKII with battery pack, Nikon D3S and others with similar camera body size



Shoulder support, carrying handle, handle bars



The shoulder support 3025 DV-Balancer® very easily positions the camera and the hands remain free.



Use the 3025 DV-Balancer® for handheld shots from the shoulder. Fits directly on the LWS or with 1/4" screw.

Shoulder support, carrying handle, handle bars

3025 DV-Balancer® shoulder support, classic version with flat belly rest for cameras up to 4 kg.

3035 Shoulder pad proVideo, straight connection to LWS

403-10 Handle bar proVideo to mount on 15mm LWS rods, grip width approx. 180mm

403-20 Handle bar proVideo plus to mount on 15mm LWS rods, grip width approx. 270mm

3300 Carrying handle to use with LWS light weight support

To use this systems you need a dia. 15mm lightweight support.
Please choose the suitable lightweight support for your camera.

3035

proVideo shoulder pad is the lowest price version, allows the guiding of your camera while supported on your shoulder.



Shoulder pad proVideo 3035 mounted on Chrosziel LWS lightweight support with proVideo handle bar 403-10.



403-10 and 403-20

proVideo handle bar is an additional carrying version to mount on 15mm LWS lightweight support rods.



403-10



403-20 NEW
with enlarged
grip width

3300

Use your DSLR camera as a portable video camera with the Chrosziel hand grip (3300). For mounting on Chrosziel lightweight supports (LWS 401-4xx). Tool-free installation, also useable with tripod plate mounted.

