

CHROSZIEL PRICE LIST JANUARY 2011

Code no.	Product description <i>[all Prices are ex-works, in GB pounds and exclude VAT and delivery]</i>	List Price GBP £'s
102-01	Fluid Zoom Drive Zeiss 10-100 + 11-110 S16, incl. 2 Zoomsticks	670.00
102-09	Zoomstick, short	15.00
102-09-18	Zoomstick set, short (102-09) and long (102-18)	30.00
102-10	Fluid Zoom Drive Canon 25-120, Cooke 20-100/Angenieux 25-250	560.00
102-11	Fluid Zoom Drive mod. 0.8 for Angenieux 10-120 / 11.5-138 & big Cine Style (e.g. Zeiss DigiZoom), incl. 2 Zoomsticks	670.00
102-13	Fluid Zoom Drive mod. 0.8 Cinestyle & Canon Film (8-64+7-63 / 11.5-138 + 11-165) incl. 2 Zoomsticks	670.00
102-13-01	Bracket for Fluid Zoom Drive Canon 8-64 + 7-63, with rod - new style	145.00
102-13-05	Clamp Adaptor old style for Fluid Zoom Drive CANON 8-64/11.-138 - as spare - ellipse	185.00
102-13-07	Halfmoon segment for zoomstick at Canon 864 - as spare	95.00
102-13S	Fluid Zoom Drive Canon 8-64 + 7-63/11.5-138+11-165 & Cinestyle incl. 2 Zoombar old style (Ellipse) special version to mount directly incl. 102-13-05 + 102-13-07	745.00
102-13S2	Fluid Zoom Drive Canon 6.6-66 special version to mount directly at lens incl. 2 zoom bars	745.00
102-14-19	Swing-Away Bracket for mounting Fluid Zoom 102-10 on Ø 19mm / 15mm bridge plate rods	245.00
102-15	Fluid Zoom Drive Unit Angenieux, CANON, Nikon, Schneider (mod. 0.5) incl. 2 Zoomsticks	670.00
102-16	Fluid Zoom Drive Unit Fujinon (mod. 0.6) incl. 2 Zoomsticks	670.00
102-18	Zoomstick, long	15.00
102-19	Zoomstick connection extender	48.00
102-35	Zoom Bar Ring for Zeiss 10-100 T.2 to use with 102-01 (spare)	35.00
201-02	2nd Handwheel for Studio Rig incl. Scale	370.00
201-03	1x Handwheel for StudioRig Cine and Video, incl. scale ring	360.00
201-04	Scale for Studio Rig (204-/203-)	22.00
201-05	Focus Drive for 16mm HS prime lenses Film, for Studio Rig, mod 0.8 - Ø 33.6mm, B 16mm (teeth 40)	65.00
201-06	Focus Drive for Zoom Lens 16mm Film for Studio Rig, mod 0.8 - Ø 33.6mm, B 23.75mm (teeth 40)	65.00
201-07	Hand Wheel Extension (backwards) for Studio Rig FollowFocus (e.g. for use with viewfinder extension).	575.00
201-10	Focus Drive for Fujinon for Studio Rig, mod 0.6 - Ø 32.5 mm, B 8 mm (teeth 52)	65.00
201-11	Focus Drive for MOVIECAM prime lenses, for Studio Rig mod 0.8, Ø 37 mm (44 teeth), width 8 mm, long shaft 18mm.	65.00
201-12	Focus Drive for Video prime lenses and Cine Style, for Studio Rig, mod 0.8 - Ø 25,6 mm, B 8mm (teeth 30)	65.00
201-16	Focus Drive for CANON, Angenieux, Schneider for Studio Rig, mod 0.5 - Ø 35mm, B 8.00mm (teeth 68)	65.00
201-17	Focus Drive for Fujinon, Nikon for Studio Rig, mod 0.6 - Ø 28.7mm, B 8.00mm (teeth 46)	65.00
201-18	Focus Lever for Studio Rig, length 10 cm	45.00
201-19	Gear Ring Canon 8-64 / 11.5-138 and for focus mounting on Canon EF 24-105mm 1:4.0 IS UMS (Canon EOS 5D MKII) Ø 82mm	98.00
201-21	Focus Drive for Canon 20x8 special for Studio Rig, mod 0.5 - Ø 35.00mm, B 8.00mm 8mm (teeth 68)	65.00
201-22	Focus Drive for CANON 8 - 64, Cine Style & DigiPrime lenses for Studio Rig, mod 0.8 - Ø 36.8mm, B 8.00mm (teeth 44)	65.00
201-23	Focus Drive for Cine Style and 35mm Film lenses for Studio Rig, mod 0.8, Ø 46,4mm, B 8 mm (teeth 56)	65.00
201-24	Focus Drive extra wide for cine/photo lenses for Studio Rig, mod 0.8, Ø 46.4 mm, B 26mm, teeth 56 (e. g. for Cine-Xenar lenses from Schneider-Kreuznach)	65.00
201-25	Focus Drive extra wide for cine/photo lenses with focus movement for Studio Rig, mod 0.8, Ø 28.8 mm, B 26 mm, teeth 34 (e.g. for Cine-Xenar lenses from Schneider-Kreuznach, min. 720 degrees rotation)	65.00
201-30	Studio Rig Axle-Extension (lateral) for Handwheel.	185.00
201-31	Flexible Shaft for Studio Rig, length 330mm	80.00
201-32	Flexible Shaft for Studio Rig, length 450mm	95.00
201-33	Flexible Shaft for Studio Rig, length 1000 mm	110.00

201-40	Reverse gear for Studio Rig (Video 203-01/S or Film 204-01S), with turnaround gear and fittings. Please combine additionally with gear drive 201-12 (mod. 0.8, Ø25.6mm).	120.00
202-16	Focus Drive for Canon, Angenieux, Schneider for StudioRig, mod 0.5 Ø28.5mm B8.00mm teeth 55	65.00
202-17	Focus Drive for Fujinon, Nikon for Studio Rig, mod 0.6 - Ø 38.40mm B 8.00mm (teeth 62)	65.00
203-01	Studio Rig - Video - double sided connection for handwheel, follow focus control incl. handwheel, scale and focus lever. Optional 2nd handwheel (201-02)	1,565.00
203-01Q	Studio Rig - Video QuickFit - double sided connection for handwheel, follow focus control incl. handwheel, scale, focus lever For 15mm rods, includes intermediate for connection to 19mm adaptors. Optional 2nd handwheel (201-02)	1,585.00
203-01S	Studio Rig Video Single Version, Follow Focus incl. one handwheel, scale and focus lever	1,230.00
204-01	Studio Rig - Cine - double sided connection for handwheel, follow focus control incl. handwheel, scale and focus lever. Optional 2nd handwheel (201-02)	1,565.00
204-01Q	Studio Rig - Cine QuickFit - double sided connection for handwheel, follow focus control incl. handwheel, scale and focus lever. For 15mm rods, includes intermediate for connection to 19mm adaptors. Optional 2nd handwheel (201-02)	1,585.00
204-01S	Studio Rig Cine Single Wheel, Follow Focus with 1 handwheel, incl. scale + focus lever	1,230.00
205-02	Scale for DV-Studio Rig and Bowdendrive	12.00
206-01S	DV StudioRig, follow focus incl. handwheel, scale (205-02), for one-side-operation.	998.00
206-01S-12	DV Studio Rig, follow focus control for one-side-operation incl. handwheel, scale (205-02) and focus drive (206-12) mod 0.8, Ø 36,8mm, 44 teeth.	1,068.00
206-12	Focus drive (DV-Studio Rig / VariLock for gear rings and Canon, Fujinon cine style. mod 0.8, Ø 36.8mm, 44 teeth.	70.00
206-13	Focus drive (DV-Studio Rig / VariLock) for DigiPrimes + Movie Lenses, mod 0.8, Ø 46mm, 56 teeth.	70.00
206-14	Focus drive (DV-Studio Rig / VariLock) for gear ring type Sony 206-22. mod 0.8, Ø 20.8mm, 24 teeth.	70.00
206-15	Focus drive (DV-Studio Rig / VariLock) for Canon, Angenieux. mod. 0.5, Ø 38mm, 76 teeth	70.00
206-16	Focus drive (DV Studio Rig) for Fujinon. mod 0.6, Ø 38mm, 62 teeth.	70.00
206-20	Gear ring for Leica lens on Panasonic DVX-100, mod 0.8	98.00
206-21	Gear ring for Sony PD-150, mod 0.8 (teeth 113) - splitted, Ø76.3mm	116.00
206-22	Gear ring for Sony HDR-FX1 & HVR-Z1, mod. 0.8	98.00
206-23	Gear ring Ø97,6mm for Canon XL-cameras (XL-2, XL H1) mod. 0.8 (135 teeth)	98.00
206-24	Gear ring for Panasonic HVX-200/Sony PMW-EX1, PMW-EX3, HVR-Z5, Fujinon XS8x4 Ø95mm -	116.00
206-25	Gear Ring for Sony HVR-V1, mod. 0.8, Ø 82,3mm	98.00
206-26	Gear Ring Ø 107mm for Canon 6x wide angle zoom, mod 0.8 for gear drive 206-12	116.00
206-27	Gear Ring for Sony HVR Z7 with Zeiss VCL-412BWH, mod 0.8	98.00
206-28	Gear Ring for Panasonic AG-HPX171 and HMC-151, mod 0.8 (teeth 128), Ø 92.8mm	98.00
206-29	Gear segment (mod. 0.8) for the zoom ring of Sony EX1/EX3 cameras	98.00
206-30	FlexiGearRing Gear ring flexible adjustable between Ø 60-120mm, mod 0.8 rotation angle approx. 270 - 320°. For still photo and video lenses with correspon. rotation.	95.00
206-40	Reverse gear for DV StudioRig, cpl. with extender, gear, bearing, spacer and fittings.	120.00
206-40S	Studio Rig Photo, complete with reverse gear and gearwheel mod. 0.8 - for photo lenses	1,160.00
206-45S	Studio Rig Photo with VariLock® hand wheel, complete unit with reverse gear and gearwheel mod. 0.8 - for photographic lenses	1,260.00
206-50	VariLock® handwheel for DV StudioRig, incl. scale	320.00
206-50S	HDV Rig VariLock®, Follow Focus with adjustable angle range. Handwheel with scale (205-02), for one-side operation. Use of gear drive 206-13 not possible	1,098.00
206-50S-12	HDV Rig VariLock®, Follow Focus with adjustable angle range, for one-side operation. With VariLock® handwheel, scale (205-02) and focus drive (206-12) mod 0.8, Ø 36,8mm, 44 teeth.	1,168.00
206-720	Gear ring splitted, Ø72mm for focus at Canon EF-S 15-85mm	116.00
206-740	Gear ring splitted, Ø74mm for zoom at Canon EFS 18-135mm (Canon EOS 7D standard lens)	116.00
206-753	Gear ring splitted, Ø75.3mm for focus at Canon EF 18-135mm (Canon EOS 7D standard lens)	116.00
206-785	Gear ring splitted, Ø76.3mm for zoom at Canon EF 24-105mm (Canon EOS 5D MKII DSLR)	116.00
206-836	Gear ring splitted, Ø 83.6mm for focus and zoom on Canon lens EF 24-70 mm.	116.00
206-DSLRSKIT	Studio Rig Basis Kit for DSLR cameras consisting of: 206-40S Studio Rig Photo, complete unit with reverse gear and gearwheel mod. 0.8, 206-30 Flexible Gear ring for lenses dia 60-90mm, 401-421S LWS light weight support for DSLR camera	1,528.50
206-EOS5DKIT	Studio Rig Basis-Kit for Canon 5D with Canon EF 24-105mm, consisting of: 206-01S DV Studio Rig follow focus system, cpl. with handwheel & scale, 206-12 Focus gear drive, mod 0.8, Ø 36.8, 44 teeth, 201-19 Gear ring Canon EF 24-105mm 1:4.0 IS UMS (Canon EOS 5D MKII) Ø 82mm, 401-421S LWS Light weight support, incl. twist stopper for DSLR	1,439.50

206-EOS7DKIT	Studio Rig Basis-Kit for Canon 7D with Canon EF 18-135mm, consisting of: 206-01S DV Studio Rig follow focus system, cpl. with handwheel & scale, 206-12 Focus gear drive, mod 0.8, Ø 36.8, 44 teeth, 206-753 Focus gear ring fix, for Canon EF18-135mm, Ø75.3mm, 401-421S LWS Light weight support, incl. twist stopper	1,457.50
3000	see now 3020	
3000-10	DV Balancer® Memory Clip	18.00
3005	see now 3025	
3010	see now 3030	
3020	DV Balancer® Shoulder Brace, with ball cushion for cameras up to 4 kg / 9 lb. Especially for cameras with the eyepiece of the viewfinder on the back	375.00
3025	DV Balancer®, Shoulder Brace with flat belly rest (instead of breast rest) for cameras up to 4kg / 9lb. Especially for cameras with the eyepiece of the viewfinder on the back of the camera body.	375.00
3030	DV Balancer® ENG Shoulder Brace, straight version with flat belly rest for cameras up to 4kg / 9lb. Especially for cameras with angled ENG viewfinder (e. g. Sony PMW-EX3).	375.00
3035	Shoulder Pad proVideo. Straight connection to LWS with basis 401-400 & 401-93. Also in conjunction with HandleBar proVideo (403-10)	156.00
3100	DV Balancer® Camera Adaptor, for mounting the camera if no Chrosziel LightWeight Support of series 401- 4xx is in use	95.00
3200	DV Balancer® Battery Holder, universal adaptor plate with holes and threads for Anton/Bauer Gold Mount, IDX V-Plate and PAG-Lok battery mounts	140.00
3220	DV Balancer® Tripod Clamp, to use the DV Balancer Battery Holder on tripods with dual-tube leg design and tube diameters between 16-36mm (approx. 2/3"-1,5")	125.00
3300	Hand grip (carrying handle) DSLR for light weight supports - reflex cameras	125.00
3310	Accessory clamp for DSLR handle 3300	17.00
401-01-04	Rod for lightweight support, Ø15mm, length 205mm	35.00
401-01-04-114	Rod for lightweight support, Ø15mm, length 114mm (f. DV)	35.00
401-01-04-128	Rod for lightweight support, Ø15mm, length 128mm (f. DP)	35.00
401-01-04-150	Rod for lightweight support, Ø15mm, length 150mm	35.00
401-01-04-160	Rod for lightweight support, Ø15mm, length 160mm	35.00
401-01-04A	Rod for lightweight support, Ø15mm, length 205mm with free cut	45.00
401-01-06	Single rod Ø15mm for lightweight support with individual length (only shorter than 205mm) please specify length: mm	35.00
401-01CF	Carbon Fibre rods (set of 2) for lightweight support, Ø15mm, length 205mm	110.00
401-01VT	VariTube® telescopic rods (1 pair) for Lightweight support Ø15mm, adjustable length from 150 up to 230 mm	85.00
401-10	Adaptor 15mm to Bridgeplate with Ø19mm rods	165.00
401-101-01	Rod Ø19mm x 440mm length for Bridge Plate	95.00
401-101-04	Rod Ø15mm x 440mm length for Bridge Plate (spare)	85.00
401-10Q	QuickAdaptor, 15mm holder clamping to rods with Ø 19mm, quick-lock device	365.00
401-12	Adaptor 15mm to Bridgeplate with Ø15mm rods	165.00
401-121	Bridge Plate incl. Ø19mm Rods, length 440mm (for combination with 401-120/401-130 Quick-lock Tripod Plate)	765.00
401-121-02	Base plate for bridge plate unit 401-111/121/123, for screws with size 1/4 and 3/8 inch	380.00
401-121-05	Top plate of bridge plate unit 401-121 (without rods)	380.00
401-121-10	Top dovetail bridge plate with 19mm rods	480.00
401-122	Bridge Plate for Ø15 mm Rods with integrated Quick Lock Plate, for Sony HD & ENG Camera	1,430.00
401-123	Bridge Plate incl. Ø19mm Rods, length 440mm, exclusive for Sony HDC 1500 camera. (For combination with 401-130 QuickLock Tripod Plate. Attention: Please unscrew lever enforcement at the lock-lever end)	765.00
401-123-05	Top plate of bridge plate unit 401-123	380.00
401-124	Bridge Plate incl. Ø19mm Rods, length 440mm, exclusive for RED One camera (screwed in fixed position)	765.00
401-124-05	Top plate of bridge plate unit 401-124 (exclusive for RED One), without rods	380.00
401-124-10	Top plate of bridge plate unit 401-124 (exclusive for RED One), with dia. 19mm rods	480.00
401-125	Bridge Plate incl. Ø19mm Rods, length 440mm, exclusive for use with Sony PDW-F3 (screwed in fixed position)	765.00
401-125-05	Top plate of bridge plate unit 401-125 (exclusive for Sony PDW-F3), without rods	380.00
401-125-10	Top plate of bridge plate unit 401-125 (exclusive for Sony PDW-F3), with dia. 19mm rods	480.00
401-13	Lens Support Bracket for Fujinon ENG zoom lenses for mounting on LWS Ø 15mm rods	280.00
401-130	QuickLock 130, Tripod Plate for Cameras with Sony V-plate HD & ENG	665.00
401-14	Extension Rods (set of 2) 50 mm for LWS	26.00
401-140	Mini Wedge Plate LWS (w 1/4 Inch screw), for use with QuickLock Plate in combination with light weight support series 401-400	75.00
401-14CF	Carbon Fibre Extension Rods (set of 2) 50 mm for LWS, Ø15mm.	40.00
401-16C	Lens Support Bracket for Canon 33x for mounting on Ø 19mm Bridgeplate rods	280.00

401-16F	Lens Support Bracket for Fujinon A36x14,5 / A42x9.7 / HA24x16 for mounting on Ø 19mm	280.00
401-17	Adaptor 15mm to Bridgeplate with Ø19mm rods, height and side adjustable	230.00
401-18	Adaptor 15mm to Bridgeplate with Ø15mm rods, height and side adjustable	230.00
401-19	Lens Support Bracket for Canon Standard ENG lenses for mounting on Ø 15mm LWS rods	280.00
401-21	Lens Support Bracket for Canon HD ENG lenses for mounting on Ø 15mm LWS rods	280.00
401-23	Lens support bracket for Fujinon HD Cine style lenses - for mounting on Ø 15mm LWS rods	320.00
401-24	Lens support bracket for Canon HD Cine style lenses for mounting on Ø 15mm LWS rods	320.00
401-25	Lens Support Bracket for Fujinon HD lenses, e.g. HAe3x5, HAe5x6, HAe10x10, HAe12x9.5 and HAc15x7.3 plus the HK-Zoom series with PL mount, for mounting on Ø 19mm Bridge Plate rods	280.00
401-26	Lens support bracket for Fujinon ENG HD lens HA25x16,5/11,5 for mounting on Ø 15mm LWS rods	280.00
401-27	Lens Support Bracket for Canon HD lens HJ40x10 and HJ40x14 for mounting on Ø 15mm light weight support	280.00
401-30	Lens Support Bracket for Zeiss DigiZoom lenses for mounting on Ø 15mm LWS rods	280.00
401-31	Lens Support Bracket for Zeiss DigiPrime 135mm lenses for mounting on Ø 19mm bridge plate rods	280.00
401-32	Lens Support Bracket for RED zoom lens 18-85mm (Ø 142mm) for mounting on bridge plates with Ø 19mm rods (cons. of 401-25 + 401-32-01)	490.00
401-32-01	Lens Support Ring for RED Zoom 18-85mm Ø 142mm (for use with 401-25 lens support for Ø 19mm rods)	380.00
401-33	Lens Support Universal Photo, for lenses with 55 to 120mm diameter, for mounting on 15mm light weight support rods.	195.00
401-34	Lens Support DSLR Tele, for telephoto lenses with 1/4" tripod mount, adjustable between 4 and 11 mm above support rods. For mounting on 15mm Light Weight Supports types LWS 401-421S, 401-425 and 401-93.	280.00
401-400	LWS Baseplate with rod clamping and 2 adjustable rods, l. 205mm (please order additional camera platform according to your DV/HDV camera)	175.00
401-400-CDS	Adapter for Sachtler Cine DSLR wedge plate for use with LWS Light weight support for video- and DSLR cameras with video function.	60.00
401-402K	DSW© 400, Direct Swing-Away-System, swing radius 50mm, bracket with hinge to screw into Light Weight Support with 15mm rods type 401-4xx, incl. 2 pcs knurled nut M3 (E1744010) and 2 washers (6x12xT0.5) for mounting on large SunShades e.g 411-50	255.00
401-402K-01	2 units knurled nut M3 (E1744010) and 2 washers (6x12xT0.5)	10.00
401-402S	DSW© 400, Direct Swing-Away-System, swing radius 50mm, bracket with hinge to screw into Light Weight Support with 15mm rods type 401-4xx, incl. 2 pcs countersunk flat head screws M3x8 for mounting on MB450/CMB	245.00
401-402S-01	2 units countersunk flat head screw M3x8 for mounting on MB450/CMB	5.00
401-403K	DSW© 400, Direct Swing-Away-System, swing radius 50mm, bracket with hinge to clamp on Light Weight Support with 15mm rods type 401-4xx, incl. 2 pcs. knurled nut M3 (E1744010) and 2 washers (6x12xT0.5) for mounting on large SunShades e.g 411-50	255.00
401-403S	DSW© 400, Direct Swing-Away-System, swing radius 50mm, bracket with hinge to clamp on LWS 15mm rods type 401-4xx, incl. 2 countersunk flat head screws M3x8 for mounting on MB450/CMB	245.00
401-411	LWS Light weight support for Canon XL-2, XL-HD1, complete (401-400 + 401-411P)	255.00
401-411P	LWS Camera Platform Canon XL-2, XL-HD1, for combination with LWS Baseplate 401-400	80.00
401-412	LWS Light weight support for Canon XL-1 complete (401-400 + 401-412P)	255.00
401-412P	LWS Camera Platform Canon XL-1 for combination with LWS Baseplate 401-400	80.00
401-413	LWS Light weight support for JVC GY-HD100 (+ GY-HD-250) complete (401-400 + 401-413P)	255.00
401-413P	LWS Camera Platform JVC GY-HD100 (+ GY-HD-250) for combination with LWS Baseplate 401-400	80.00
401-414	LWS Light weight support for Panasonic DVX-100 complete (401-400 + 401-414P)	255.00
401-414P	LWS Camera Platform Panasonic LWS DVX-100 for combination with LWS Baseplate 401-400	80.00
401-415	LWS Light weight support for Panasonic HVX-200 + AG-3DA1, Sony PMW-F3 und Canon XF305 / XF300 complete (401-400 + 401-415P)	255.00
401-415P	LWS Camera Platform Panasonic HVX-200 + AG-3DA1 und Canon XF305 / XF300 for combination with LWS Baseplate 401-400	80.00
401-417	LWS Light weight support for Sony HDR-FX1/ HVR-Z1/PMW-EX1/HVR-Z7 complete (401-400 + 401-417P)	255.00
401-417P	LWS Camera Platform Sony HDR-FX1/ HVR-Z1/PMW-EX1/HVR-Z7 for combination with LWS Baseplate 401-400	80.00
401-418	LWS Light weight support for Sony HVR-V1 complete (401-400 + 401-418P)	255.00
401-418P	LWS Camera Platform Sony HVR-V1 for combination with LWS Baseplate 401-400	80.00
401-419	LWS Light weight support for Canon XH G1 / A1 complete (401-400 + 401-419P)	255.00
401-419P	LWS Camera Platform Canon XH G1 / A1 for combination with LWS Baseplate 401-400	80.00

401-420	LWS Light weight support for Panasonic HMC-150/-151, HPX-170/-171, Sony HVR-Z5 complete (401-400 + 401-420P)	255.00
401-420P	LWS Camera Platform Panasonic HMC-150/-151, HPX-170/-171, Sony HVR-Z5 for combination with LWS Baseplate 401-400	80.00
401-421P	LWS Camera Platform for DSLR cameras (e.g. Canon EOS 5D MKII and Nikon D90) incl. twist stopper for combination with LWS Baseplate 401-400	98.50
401-421S	LWS Light weight support for DSLR cameras Canon EOS 5D/ 7D& Nikon D90: cpl. with twist stopper + adjustable rods dia 15mm l. 205mm (401-400+401-421P)	273.50
401-421S-01	Stopper DSLR, twist stopper for SLR cameras on the LWS 401-421 (incl. with 401-421S)	18.50
401-422	LWS Light weight support with dished-end camera plate for Sony EX-3, complete (401-400 + 401-422P)	270.00
401-422P	LWS Camera Platform with dished end for Sony EX-3, distance bolts, for combination with LWS Baseplate 401-400	95.00
401-423	LWS Light weight support for JVC GY-HM 100 E complete (401-400 + 401-423P)	255.00
401-423P	LWS Camera Platform LWS JVC GY-HM 100 E for combination with LWS Baseplate 401-400	80.00
401-424	LWS Light weight support for Sony HXR-NX5 complete (401-400A + 401-424P)	255.00
401-424P	LWS Camera Platform Sony HXR-NX5 for combination with LWS Base 401-400 (new plate like 401-400A is included for replacement)	110.00
401-425	LWS Light Weight Support for DSLR Canon EOS 7D with FGV PL 54 mount, complete (401-400+401-425P+401-140).	295.00
401-425P	LWS Camera Platform DSLR Canon EOS 7D mit FGV PL 54 Bajonett, distance bolts, M5 screws for combination with LWS Baseplate 401-400	80.00
401-427	LWS Light Weight Support for Panasonic AG-AF100 complete (401-400 + 401-427P)	255.00
401-427P	LWS Camera Platform Panasonic AG-AF100 for combination with LWS Baseplate 401-400	80.00
401-50	Light Weight Support Sony Universal for HD & Digital ENG complete with 2 rods dia. 15mm length 205mm	260.00
401-50-01	Base Plate for Light Weight Support Sony Universal (without rods and clamping)	145.00
401-50-02	Rods, clamping and height adjustment for Light Weight Support for Sony	115.00
401-503	DSW© 500 Adaptor, Direct Swing-Away System, swing radius 100mm, adaptor for all MB and SD with 15mm rod supports, e.g. MB 456 Academy, MB 450R3 and MB 450R2 Super Wide.	285.00
401-52-01	Intermediate Spacer for LWS lenses without Extender (e.g. for 401-89B with Panasonic HPX-301 and Fujinon XT17x4.5)	52.00
401-55-02	Rods, clamping and height adjustment (LWS) to be mounted on dovetail plate at stabilizing systems	115.00
401-60B	Heavy Duty Support Sony Universal complete with 2 rods dia. 15mm length 205mm	450.00
401-63	Light Weight Support for JVC GY-HM700 complete with 2 rods dia. 15mm, length 160mm (compatible to QuickLock tripod plate)	260.00
401-65	Light Weight Support for JVC GY-HD250/251 complete with 2 rods dia. 15mm length 150mm (suitable for Quick-lock tripod plate)	260.00
401-66A	Light Weight Support Ikegami (e.g. DNS33/HDNX10) with Sony Base Plate, complete with 2 rods dia. 15mm length 205mm	280.00
401-68	Light Weight Support for JVC GY 500 + JVC DY90E, complete with 2 rods dia. 15mm length	260.00
401-69	Light Weight Support for JVC GY-DV 700 + GY-DV 5000, complete with 2 rods dia. 15mm length	260.00
401-70	U-Clamp for Light Weight Support	45.00
401-77	Light Weight Support Ikegami Universal, complete with 2 rods dia. 15mm length 205mm	300.00
401-80	Light Weight Support for Ikegami HK 399 camera	296.00
401-83	Extension Rods (set of 2) 100 mm for LWS	26.00
401-83-190	Extension Rods Ø 15mm (set of 2), length 190 mm for LWS.	45.00
401-83CF	Carbon Fibre Extension Rods (set of 2), length 100 mm for LWS, Ø=15mm.	60.00
401-84	Light Weight Support Thomson TTV 1657, complete with 2 rods dia. 15mm length 205mm	260.00
401-85	Light Weight Support Sony BVP-550P, complete with 2 rods dia. 15mm length 205mm	280.00
401-87B	Heavy Duty Support Panasonic universal (2/3" + 1/2" cameras) complete with 2 rods, diameter 15mm, length 205mm	450.00
401-87B5	Heavy Duty Support Panasonic HPX 500/2100 complete with 2 rods dia. 15mm length 205mm	450.00
401-88	Lightweight Support BTS LDK 10P / 20P, complete with 2 rods dia. 15mm length 205mm	260.00
401-89B	Light Weight Support for Panasonic universal, complete with 2 rods (dia. 15mm, length 205mm) and 4 countersunk screws.	260.00
401-91	Light Weight Support BTS LDK 100/120/ 6000/7000 incl. 2 allen wrench (for mounting on Quick-lock Plate), complete with 2 rods dia. 15mm length 205mm	280.00
401-92	Heavy duty support for Thomson Viper complete with 2 rods dia. 15mm length 205mm	450.00
401-93	LWS LightWeight Support for dSLR with bigsize body, Canon EOS1D MKIV, 5D MKII with battery handle & Nikon D3, with rods Ø15mm, l. 100mm.	260.00
401-CABLE	Adaptor cable with connector with angle for Fujinon video zoom lenses to avoid collision with light weight support (Hirose 12 pol connector)	215.00
401-F235	Bridge Plate F23/F35 incl. Ø19mm Rods, L=440mm, for use with original Sony flat bottom plate.	765.00

401-F235-05	Only Top Bridge of Bridge Plate for F23/F35 WITHOUT Ø19mm Rods, for use with original Sony flat bottom plate	380.00
401-F235-10	Only Top Bridge of Bridge Plate F23/F35 incl. Ø19mm Rods, L=440mm, for use with original Sony flat bottom plate	480.00
401-SI2K	Bridge Plate for SI2K. Incl. Ø19mm Rods, L=440mm.	765.00
401-SI2K-01	Adaptor plate for Silicon Imaging camera SI2K, including 4 Allen screws 5x16 mm. Adopts the camera to the bridge plate 401-121 with Ø19mm Rods. Enclosed in bridgeplate Kit 401-SI2K.	320.00
402-01-08	Pivot Mechanism for French Flag, cpl. incl. rod (length 162mm), screws and shims, lever, brackets	65.00
402-02	Filterholder 3x3 (wide 110mm)	130.00
402-03	Filterholder 3x4 (wide 110mm)	130.00
402-04	Filterholder 4x4 (wide 110mm)	130.00
402-06	Filterholder 4x6 (wide 110mm, vertical)	130.00
402-08	Filterholder 4x5 (wide 110mm, vertical)	130.00
402-12	Filterholder 4x4 (wide 110mm) (to be inserted from bottom/top, f. MB 450 and 440-x)	130.00
402-26	Top French flag for MB 4:3 and 16:9, foldable	55.00
402-28	Top French flag for DV SunShade 440	35.00
403-01	Set of 2 handles (right grip with camera on/off knob, connecting cable to video camera 12 pin HRS) with mounting device (403-02) for use with heavy duty supports	1,005.00
403-01-05	Straight short rod, incl. end caps + 2 joints + 1 long toggle screw to extension the left hand grip	328.00
403-02	Mounting device (set for left and right side) for use of hand grips at HD support (spare)	140.00
403-10	Handle Bar proVideo, for use with LWS. With clamp for rods with Ø 15 mm, grip width approx. 180 mm. For light weight video cameras and HD/SLR cameras in conjunction with ShoulderPad proVideo (3035).	78.00
403-20	Handle Bar proVideo plus, for use with LWS. With clamp for rods with Ø 15mm, grip width approx. 270 mm. For light weight video cameras and HD/SLR cameras in conjunction with Shoulder Pad proVideo (3035).	78.00
403-C8	Adaptor (l. 5cm) Hirose 12 pin - Canon 8 pin (For use of start/stop knob at Chrosziel handle with Canon ENG lens 8 pin connector)	140.00
403-F12	Adaptor (l. 5cm) Hirose 12 pin - Hirose 12pin (Attention, different wiring! For use of start/stop knob at Chrosziel handle in combination with Fujinon ENG lens)	140.00
403-F3	Adaptor (l. 5cm) Hirose 12 pin - PRO35 Fischer 3 pin (for use of start/stop knob at Chrosziel handle in combination with P+S PRO35 Image Converter)	140.00
403-F8	Adaptor (l. 5cm) Hirose 12 pin - Fujinon 8 pin (For use of start/stop knob at Chrosziel handle with Fujinon ENG lens 8 pin connector)	210.00
410-01-08	Pivot Mechanism for French Flag cpl. incl. rod (length 197mm), screws and shims, lever, clamp screws + brackets	65.00
410-01-09	Pivot Mechanism for French Flag at CBH-S16 cpl. incl. rod (length 199,5mm), screws and shims, lever, clamp screws + brackets (matching also to 805-01, 415-01F, 412-01F, CWAH-FV, CWAH-S16, CLWAH-169)	65.00
410-02-08	Pivot Mechanism for French Flag cpl. incl. rod (l. 203mm), screws and shims, lever, clamp screws + brackets (fits 840-01, 805-02, 415-02F, 412-02F)	65.00
410-03	Filterholder 4x5.650 (width 110mm, vertical)	130.00
410-04	Filterholder multi-format 4x4 and 4x5.650 filters (to be inserted from bottom only, f. MB 450)	130.00
410-05	Stack-on Filterholder Compartment, rotating 360° (for Ø 138mm Filters and 4x4 Filterholder) please order extra Filterholder	145.00
410-08	Holding ring for Ø 138mm round filters with thread.	30.00
410-09	Filterholder 4 1/2" round 2 parts (410-09-01+410-09-02), for using 4 1/2" round filters in the 138mm compartment of the rubber bellows (410-13).	50.00
410-100	Set of Side Wings for MatteBox S16 / 4:3	310.00
410-104	Rubber Bellows Retaining Ring Ø130:104mm with 41mm tube for Cine-Xenar lenses with MB456	155.00
410-11	Rubber Bellows Retaining Ring Ø 142.5:110 mm	155.00
410-11-01	Insert ring Ø 110 mm for Retaining Ring (spare)	35.00
410-12A	Retaining Ring Ø 142.5:114 mm	100.00
410-13	Rubber Bellows Retaining Ring Ø 142.5:100 mm	155.00
410-13-01	Insert ring Ø 100 mm for Retaining Ring (spare)	35.00
410-14	Insert ring Ø 100:95 mm	35.00
410-14F	Rubber Bellows Retaining Ring Ø 142.5:95 mm for Fujinon/Canon wa zoom lens F4.5	155.00
410-14F-01	Insert ring Ø 95mm for Retaining Ring (spare)	44.00
410-15	Insert ring Ø 100:87 mm	35.00
410-16	Insert ring Ø 100:83 mm	35.00
410-17F	Insert ring Ø 100:80 mm for Film	35.00
410-17V	Insert ring Ø 100:80 mm for Video	35.00
410-18	Insert ring Ø 100:90 mm	35.00
410-19	Insert ring Ø 100:85 mm	35.00

410-20	Insert ring Ø 100:98 mm	35.00
410-200	Set of SideWings for wideangle housing, large	310.00
410-21	Insert ring Ø 100:94 mm	35.00
410-22	Insert ring Ø 100:75 mm	35.00
410-23	Insert ring Ø 100:65 mm	35.00
410-25	Insert ring Ø 100:92 mm	35.00
410-24	Retaining Ring Ø 142,5:AG-3DA1 Panasonic 3D camera	130.00
410-26	Insert ring Ø 100:70 mm	35.00
410-27	Insert ring Ø 100:62 mm	35.00
410-28	Insert ring Ø 100:86mm	35.00
410-29	Top French Flag S16, foldable	60.00
410-30	Top French Flag extra wide angle, foldable	60.00
410-31	Filterholder multi-format for 4x4 and 4x5.650 horizontal filters (150mm wide)	130.00
410-32	Filterholder multi-format 5x5 and 4x5.650 vertical or horizontal filters	130.00
410-33	Filterholder 4x4 (wide 150mm, shaded on both sides)	130.00
410-35	Filterholder 4x5.650, vertical (wide 150mm, shaded on both sides)	130.00
410-36	Filterholder 4x6, vertical (wide 150mm, shaded on both sides)	130.00
410-37	Filterholder 4x5, vertical (wide 150mm)	130.00
410-38	Filterholder round Ø 138mm (wide 150mm)	145.00
410-39	Insert ring Ø 110:85 mm	45.00
410-39P	Insert ring Ø 110:85 mm (22mm tube) for photo lenses with prestroke while focussed.	50.00
410-40	Insert ring Ø 110:86 mm - not for MB 450	45.00
410-41	Insert ring Ø 110:95 mm	45.00
410-42	Insert ring Ø 110:96 mm	45.00
410-44	Insert ring Ø 110:98 mm	45.00
410-45	Insert ring Ø 110:90 mm	45.00
410-46	Insert ring Ø 110:100 mm	45.00
410-47	Rubber bellows Retaining Ring Ø 142.5:85 mm for Fujinon HA10x5	155.00
410-48	Insert ring Ø 110:105 mm	45.00
410-49	Retaining Ring Ø 142.5:130 mm	65.00
410-50	Retaining Ring Ø 142.5:120 mm	100.00
410-51	Retaining Ring Ø 142.5:132 mm	65.00
410-52	Retaining Ring Ø 142.5:117 mm and 117.4 mm for RED 300mm	65.00
410-53	Retaining Ring Ø 142.5:128 mm	65.00
410-54	Retaining Ring Ø 142.5:135 mm. (e.g. for Elite lenses)	130.00
410-55	Insert ring Ø 100:95 mm to use with only 1 filterholder up to focal length 4.5mm	35.00
410-56	Insert ring Ø 110:95 mm to use with only 1 filterholder up to focal length 4.5mm	45.00
410-57	Retaining Ring Ø 142.5:121 mm	100.00
410-58	Retaining Ring Ø 142.5:136 mm. (e.g. Angenieux Zoom, f=17-80/25-250mm)	130.00
410-60	Insert ring Ø 110:87mm, e. g. for Cooke Panchro lenses	45.00
410-64	Rubber Bellows Retaining Ring Ø142,5:104mm	155.00
410-65	Retaining Ring Ø 130:AG-3DA1 Panasonic 3D camera (to be used with MB Academy 456-20)	120.00
410-80F	Insert ring Ø 110:80 mm - for cine-style lenses	45.00
410-MA169	Set of Mask 16:9 complete - 5 units for focal length of F=[mm]: 4,8/10/20/30/48 (suitable for MB 415, 412, 805, 840)	125.00
410-MA43	Set of Mask 4:3 complete - 5 units for focal length of F=[mm]: 4,8 / 10 / 20 / 30 / 48 (suitable for housing MB 415, 805, 840)	125.00
410-PM	Pivot Mechanism for Side Wings (set-2 sides) length 93mm	65.00
410-PM104	Pivot Mechanism (left a. right) for Side Wings length 104mm with screws and spring washers	65.00
410-PM116	Pivot Mechanism (left + right) for SideWings length 116mm with screws & spring washers	65.00
411-09	Adapter ring Ø 104:M 77mm (screw-in size for DV/HDV)	45.00
411-12	Intermediate ring Ø 104:105mm (for Century Tele converter)	45.00
411-13	Adapter ring Ø 104:M 82mm (screw-in size for DV/HDV)	45.00
411-14	Adapter ring Ø104:M 72 mm (screw-in DV/HDV Canon + Panasonic)	45.00
411-14L	Adapter ring Ø104:M 72 mm, version e. g. for Sony S270 and SD411 / SD440	45.00
411-15	Adapter ring Ø104:62mm (thread for Sony HVR-V1)	45.00
411-16	Step-down Ring Ø 104:92 mm	45.00
411-21	Step-down Ring Ø 104:80 mm	45.00
411-22	Step-down Ring Ø 104:83 mm	45.00
411-23	Step-down Ring Ø 104:85 mm	45.00
411-23F	Step-down Ring Ø M82mm:104, M82 Fujinon screw in thread with collar for 104mm clamp.	45.00
411-24	Step-down Ring Ø 104:86 mm	45.00
411-25	Step-down Ring Ø 104:87 mm	45.00
411-26	Step-down Ring Ø 104:90 mm	45.00
411-27	Step-down Ring Ø 104:94 mm	45.00

411-28	Step-down Ring Ø 104:95 mm	45.00
411-28F	Step-down Ring Ø 104:95 for Fujinon/Canon wideangle lenses 4.5/4.8	65.00
411-29	Step-down Ring Ø 104:98 mm	45.00
411-30	Step-down Ring Ø 104:100 mm	45.00
411-31	Step-down Ring Ø 104:95 mm for SunShade 411-53/50 to use with only 1 filterholder (up to focal length 4.5mm)	45.00
411-32	Step-down Ring Ø 104:75mm	45.00
411-33	Step-down Ring Ø 104:95 mm for CF-SS/ST to use with only 1 FH up to focal length 4.5mm	45.00
411-34	Step-down Ring Ø 104:97 mm	45.00
411-39	Step-down Ring Ø 110:80 mm	65.00
411-40	Step-down Ring Ø 110:86 mm	55.00
411-41	Step-down Ring Ø 110:95 mm	55.00
411-41-4.3	Step-down Ring Ø110:95mm for Canon F4.3mm (f. SD 412-02F110)	55.00
411-42	Step-down Ring Ø 110:96 mm	55.00
411-43	Step-down Ring Ø 110:85 mm	65.00
411-44	Step-down Ring Ø 110:98 mm	55.00
411-44W	Step-down Ring Ø 110:98 mm with recess for wide angle converters.	55.00
411-45	Step-down Ring Ø 110:95 mm to use with only 1 filterholder up to focal length 4.5mm	55.00
411-46	Step-down Ring Ø 110:100 mm	55.00
411-47	Step-down Ring Ø 110:90 mm	55.00
411-48	Step-down Ring Ø 110:105 mm	55.00
411-49	Step-down Ring Ø 110:104 mm, for combination with srew-in-rings of type 104 to Mxx.	55.00
411-50	SD 411, SunShade 4x4 (4:3/16:9) incl. Mask 16:9 and French Flag, 2 Filterholder 4x4 (1 rotating) + Clamp Adaptor Ø104 mm	715.00
411-55	Step-down Ring Ø 130:120mm	65.00
411-56	Step-down Ring Ø 130:117mm	65.00
411-57	Step-down Ring Ø 130:128mm	65.00
411-58	Intermediate Ring 130:132 mm for Canon HJ 40x	105.00
411-59B	Step-down Ring Ø 130:110mm	65.00
411-60	Intermediate Ring 130:110mm for use of Step-down rings 110:xx mm (not for use with Swing-Away SunShade 840-13)	100.00
411-61	Step-down Ring Ø 130:95mm for wide angle lenses	65.00
411-63	Step-down Ring Ø 130:98mm	65.00
411-64	Step-down Ring Ø 130:105mm	65.00
411-65	Step-down Ring Ø 130:114mm	65.00
411-66	Step-down Ring Ø 130:117,4 mm for RED lens 300mm	65.00
411-67	Step-down Ring Ø 130:110, for 130mm clamp to 110mm thread for insert ring 110mm	85.00
411-68	Flexi-Insertring for clamp-on-mount Ø 130mm for lens diameter 95mm to 125mm. Accessory for MB 456 Academy on rods.	60.00
411-69	Step-down Ring Ø 130:125mm	65.00
411-71	Step-down Ring Ø 130:121mm (Canon HJ18ex28B)	65.00
411-72	Adapter Ring Ø110:M 72 mm (screw-in DV/HDV Canon, Panasonic + Sony)	55.00
411-77	Adapter Ring Ø110:M 77 mm screw-in, for DV/HDV Camcorder.	55.00
411-82	Adapter Ring Ø110:M 82 mm (screw-in DV/HDV Canon + Panasonic)	55.00
411-87	Step-down Ring Ø 110:87 mm, e. g. for Cooke Panchro lenses	45.00
412-02F	Compact SunShade 4:3/16:9 F4.5, with housing CLWAH-F4.5, incl. French Flag, Filter Stage CF-SS/F4.5, 2 Filterholder - 1x fixed multi-format 4x4/4x5.650 (410-31) and 1x rotatable multi-format 5x5/4x5.650 (510-01), Clamp Adaptor Ø104 mm	1,235.00
412-02F110	Compact SunShade 4:3/16:9 F4.5 = CLWAH-F4.5 incl. French Flag + CF-SS/110 w. 2 Filterholder 1x fixed multiformat 4x4/4x5.650 (410-31) a. 1x rotatable multi-format 5x5/4x5.650 (510-01), Clamp Adaptor Ø110 mm	1,235.00
412-02F130	Compact Sunshade 4:3/16:9 F4.5 = CLWAH-F4.5 incl. French Flag + CF-SS/130 w. 2 Filterholder 1x fixed multiformat 4x4/4x5.650 (410-31) a. 1x rotatable multi-format 5x5/4x5.650 (510-01), Clamp Adaptor Ø130 mm	1,235.00
415-02F	Compact MatteBox 4:3 +16:9 F4.5 = CLWAH -F4.5 incl. French Flag + CF-MB/F4.8 w. 2 Filterholder 1x fixed multi-format 4x4/4x5.650 (410-31) a. 1x rotatable multi-format 5x5/4x5.650 (510-01), Bracket for Ø 15mm LWS rods, Ret. Ring Ø95mm	1,395.00
415-02F-01	Compact MatteBox 4:3 +16:9 F4.5 = CLWAH -F4.5 incl. French Flag + CF-MB/F4.8 w. 2 Filterholder 1x fixed multi-format 4x4/4x5.650 (410-31) a. 1x rotatable multi-format 5x5/4x5.650 (510-01), Bracket for Ø 15 mm LWS rods, rear plate Ø 142,5 mm	1,240.00
415-02F100	Compact MatteBox 4:3 +16:9 F4.5 = CLWAH-F4.5 incl. French Flag + CF-MB/F4.8 w. 2 Filterholder 1x fixed multi-format 4x4/4x5.650 (410-31) a. 1x rotatable multi-format 5x5/4x5.650 (510-01), Bracket for Ø 15mm LWS rods, Ret. Ring Ø100mm	1,395.00

415-02F110	Compact MatteBox 4:3 +16:9 F4.5 = CLWAH-F4.5 incl. French Flag + CF-MB/F4.8 w. 2 Filterholder 1x fixed multi-format 4x4/4x5.650 (410-31) a. 1x rotatable multi-format 5x5/4x5.650 (510-01), Bracket for Ø 15mm LWS rods, Ret. Ring Ø110mm	1,395.00
416-03	Quick-release Mask 16:9 F4.5 for CWAH-1FH and 411-50 - as spare	20.00
420-02	Center Bracket for LWS to use with SunShade	95.00
420-03	Intermediate Ring 104:100 mm	35.00
420-04	Adaptor plate to Ø 85mm (to use with MatteBox 411-53P/50P)	65.00
421-01	Compact SunShade Cooke S4 = CLWAH-43 + 1 French Flag + CF-SS/110 = 2 FH comb. 4x4/4x5.650 (1 rotatable), Clamp Adaptor Ø110 mm	1,235.00
440-02	DV SunShade 4x4, double filter stage, one rotating, including French Flag, 2 filter holders 4x4 (402-04), Clamp Adaptor Ø104 mm	525.00
440-03	DV SunShade 4x4, double filter stage, one rotating, including French Flag, 2 filter holder 4x4 (402-12) with short shaft pointing downwards, Clamp Adaptor Ø104 mm	525.00
450-10	Side wings for MatteBox 450	245.00
450-10PM	Side wings incl. pivot mechanism for MB 450	285.00
450-11	French Flag for MatteBox 450 (+455-R1), foldable	48.00
450-11-01	Pivot mechanism for french flag at MatteBox 450, incl. rod (length 153mm), shims, screws, lever (spare)	65.00
450-12	French Flag for Clamp-On-Matte-Boxes CMB-R10/R20.	39.00
450-15	Adaptor Ø 110:81 mm outer diameter MB 450	50.00
450-16	Adaptor Ø 110:91 mm outer diameter MB 450	50.00
450-16A	Adaptor Ø 110:91 mm outer diameter MB 450 short shaft (e.g. for Canon 6x zoom lens)	50.00
450-17	Light Prevention Ring Ø 110:70 mm (with tube), for JVC GY-HM 100 on MB 450-series	50.00
450-20	Flexi-Insert-Ring, for 110 mm screw-in adaptation, e.g. MB450. Light protection for lens diameters between 75 mm and 98 mm	58.00
450-22	Flexi-Insert-Ring, for 110mm screw-in, e.g. MB450. Light protection for lens diameters between 50 mm and 85 mm.	58.00
450-MA	Mask for MatteBox 450 - spare part	20.00
450-R10	MatteBox 450R1 incl. french flag (450-12), 1 rotatable filterholder multi format 4x4/4x5.650 (410-04), bracket for Ø15mm rods, cover end plate with thread Ø110mm.	525.00
450-R20	MatteBox 450R2, with Double-Rotating-Filter Stage, incl. mask 16:9, french flag (450-11), pivot mechanism for side wings (option), rotatable filterholders 4x4 (402-12) and multiformat4x4/4x5.650 (410-04), rod clamping Ø15mm rods, cover end plate Ø110mm	845.00
450-R20D	MatteBox 450R2-DSW, Direct-Swing-Away System with Double-Rotating-Filter Stage, incl. mask 16:9, french flag (450-11), pivot mechanism for side wings (option), rotatable filterholders 4x4 (402-12) and multi-format4x4/4x5.650 (410-04), screw-in thread for Ø15mm rods, cover end plate with thread Ø110mm.	995.00
450-R20DC	MatteBox 450R2-DSWC, Direct-Swing-Away System with Double-Rotating-Filter Stage, incl. mask 16:9, french flag (450-11), pivot mechanism for side wings (option), rotatable filterholders 4x4 (402-12) and multi-format4x4/4x5.650 (410-04), clamp-bracket for Ø15mm rods, cover end plate with thread Ø110mm.	995.00
450-R30	MatteBox 450R3 with Triple-Rotating-FilterStage, incl. mask 16:9, french flag (450-11), pivot mechanism (for optionally use of side wings), rotatable filterholders 4x4 (1x 402-12) and multi-format 4x4/4x5.650 (2x 410-04), bracket for Ø15mm rods, cover end plate with thread Ø110mm.	995.00
450-R30D	MatteBox 450R3-DSW, Direct Swing Away System with Triple-Rotating-FilterStage, incl. mask 16:9, french flag (450-11), pivot mechanism (for sidewings), rotatable filterholders 4x4 (1x 402-12) and multi-format 4x4/4x5.650 (2x 410-04), screw-in thread for Ø15mm rods, end plate with thread Ø110mm.	1,145.00
450-R30DC	MatteBox 450R3-DSWC, Direct Swing Away System with Triple-Rotating-FilterStage, incl. mask 16:9, french flag (450-11), pivot mechanism (for sidewings), rotatable filterholders 4x4 (1x 402-12) and multi-format 4x4/4x5.650 (2x 410-04), clamp-bracket for Ø15mm rods, end plate with thread Ø110mm.	1,145.00
450R2-AF1KIT	Kit for Panasonic AG-AF100 for lens with outer Ø 50-85mm: 450-R2 MatteBox with mask 16:9 (f. built-in lens), french flag (450-11), incl. pivot mechanism (for use of side wings), 2x rotatable filterholders: 4x4 (402-12) and multi-format 4x4/4x5.650 (410-04), bracket for Ø15mm rods, cover end plate with thread Ø110mm, 401-427 Light weight support for AG-AF100, 450-22 Adapter ring 110:50/85 mm	1,145.00
450R2-AF2KIT	Kit for Panasonic AG-AF100 for lens with outer Ø 75-98mm: 450-R2 MatteBox with mask 16:9 (f. built-in lens), french flag (450-11), incl. pivot mechanism (for use of side wings), 2x rotatable filterholders: 4x4 (402-12) and multi-format 4x4/4x5.650 (410-04), bracket for Ø15mm rods, cover end plate with thread Ø110mm, 401-427 Light weight support for AG-AF100, 450-20 Adapter ring 110:75/98 mm	1,145.00

450R2-EX1KIT	Kit for Sony PMW-EX1 / HVR-Z7: 450-R2 MatteBox with mask 16:9 (f. built-in lens), french flag (450-11), incl. pivot mechanism (for use of side wings), 2x rotatable filterholders: 4x4 (402-12) and multi-format 4x4/4x5.650 (410-04), bracket for Ø15mm rods, cover end plate with thread Ø110mm 401-417 Light weight support, 410-39 Insertring 110:85mm.	1,145.00
450R2-EX3AKIT	Kit for Sony PMW-EX3: 450-R2 MatteBox with mask 16:9 (f. built-in lens), french flag (450-11), incl. pivot mechanism (for use of side wings), 2x rotatable filterholders: 4x4 (402-12) and multi-format 4x4/4x5.650 (410-04), bracket for Ø15mm rods, cover end plate with thread Ø110mm, 401-422 Light weight support with dished-end camera plate, 410-39 Insertring 110:85mm	1,145.00
450R2-HDVKIT	Kit for Sony HDR-FX1 & HVR-Z1: 450-R2 MatteBox with mask 16:9 (f. built-in lens), french flag (450-11), incl. pivot mechanism (for use of side wings), 2x rotatable filterholders: 4x4 (402-12) and multi-format 4x4/4x5.650 (410-04), bracket for Ø15mm rods, cover end plate with thread Ø110mm 401-417 Light weight support 450-15 Adapter ring 110:81mm	1,145.00
450R2-HMCKIT	Kit for Panasonic HMC150/151, HPX170/171, Sony HVR-Z5: 450-R2 MatteBox w mask 16:9 (f. built-in lens), french flag (450-11), incl. pivot mechanism (for use of side wings), 2x rotatable filterholders: 4x4 (402-12) and multi-format 4x4/4x5.650 (410-04), bracket for Ø15mm rods, cover end plate with thread Ø110mm 401-420 Light weight support 411-72 Adapter ring Ø 110:M72 mm	1,145.00
450R2-XF305KIT	Kit for Canon XF305 / XF300: 450-R2 MatteBox with mask 16:9 (f. built-in lens), french flag (450-11), incl. pivot mechanism (for use of side wings), 2x rotatable filterholders: 4x4 (402-12) and multi-format 4x4/4x5.650 (410-04), bracket for Ø15mm rods, cover end plate with thread Ø110mm, 401-415 Light weight support, 450-20 Flexi-Insert ring 110:75/98mm	1,145.00
450R2-HPXKIT	Kit for Panasonic Panasonic HPX 300: 450-R2 MatteBox w mask 16:9 (f. standard lens), french flag (450-11), incl. pivot mechanism (for use of side wings), 2x rotatable filterholders: 4x4 (402-12) and multi-format 4x4/4x5.650 (410-04), bracket for Ø15mm rods, cover end plate with thread Ø110mm 401-89B Light weight support 410-39 Adapter ring Ø 110:85 mm	1,150.00
450R2-HVXKIT	Kit for Panasonic HVX-200: 450-R2 MatteBox with mask 16:9 (f. built-in lens), french flag (450-11), incl. pivot mechanism (for use of side wings), 2x rotatable filterholders: 4x4 (402-12) and multi-format 4x4/4x5.650 (410-04), bracket for Ø15mm rods, cover end plate with thread Ø110mm 401-415 Light weight support 450-16A Adapter ring 110:91mm	1,145.00
450R2-JVC100KIT	Kit for JVC GY-HD100: 450-R2 MatteBox with mask 16:9, french flag (450-11), incl. pivot mechanism (for use of side wings), 2x rotatable filterholders: 4x4 (402-12) and multi-format 4x4/4x5.650 (410-04), bracket for Ø15mm rods, cover end plate with thread Ø110mm 401-413 Light weight support JVC HD100 410-39 Insert ring Ø110:85mm	1,145.00
450R2-JVC200KIT	Kit for JVC GY-HD200/251: 450-R2 MatteBox with mask 16:9, french flag (450-11), incl. pivot mechanism (for use of side wings), 2x rotatable filterholders: 4x4 (402-12) and multi-format 4x4/4x5.650 (410-04), bracket for Ø15mm rods, cover end plate with thread Ø110mm 401-65 Light weight support JVC (for tripodplate e.g. KA-551U) 410-39 Insert ring Ø110:85mm	1,145.00
450R2-JVC700AKIT	Kit for JVC GY-HM700: 450-R2 MatteBox with mask 16:9, french flag (450-11), incl. pivot mechanism (for use of side wings), 2x rotatable filterholders: 4x4 (402-12) and multi-format 4x4/4x5.650 (410-04), bracket for Ø15mm rods, cover end plate with thread Ø110mm 401-63 Light weight support JVC (for tripod plate e.g. KA-551U) 411-72 Adapter ring Ø110:M72mm (for 14x4.4)	1,145.00
450R2-JVCHM1KIT	Kit for JVC GY-HM100: 450-R2 MatteBox with mask 16:9, french flag (450-11), incl. pivot mechanism (for use of side wings), 2x rotatable filterholders: 4x4 (402-12) and multi-format 4x4/4x5.650 (410-04), bracket for Ø15mm rods, cover end plate with thread Ø110mm 401-423 Light weight support JVC GY-HM100 410-17 Insert ring Ø110:69.5mm	1,145.00
450R2-NX5KIT	Kit for Sony HXR-NX5: 450-R2 MatteBox with mask 16:9 (f. built-in lens), french flag (450-11), incl. pivot mechanism (for use of side wings), 2x rotatable filterholders: 4x4 (402-12) and multi-format 4x4/4x5.650 (410-04), bracket for Ø15mm rods, cover end plate with thread Ø110mm 401-424 Light weight support f. NX5, 450-20 Flexi-Insert ring 110:75/98mm	1,145.00
450R2-V1KIT	Kit for Sony HVR-V1: 450-R2 MatteBox with mask 16:9 (f. built-in lens), french flag (450-11), incl. pivot mechanism (for use of side wings), 2x rotatable filterholders: 4x4 (402-12) and multi-format 4x4/4x5.650 (410-04), bracket for Ø15mm rods, cover end plate with thread Ø110mm, 401-418 Light weight support 450-15 Adapter ring 110:81mm	1,145.00
450R2-XHG1KIT	Kit for Canon G1/ A1: 450-R2 MatteBox with mask 16:9 (f. built-in lens), french flag (450-11), incl. pivot mechanism (for use of side wings), 2x rotatable filterholders: 4x4 (402-12) and multi-format 4x4/4x5.650 (410-04), bracket for Ø15mm rods, cover end plate with thread Ø110mm 401-419 Light weight support 450-15 Adapter ring 110:81mm	1,145.00
450R2-XLHD1KIT	Kit for Canon XL HD1: 450-R2 MatteBox with mask 16:9 (f. built-in lens), french flag (450-11), incl. pivot mechanism (for use of side wings), 2x rotatable filterholders: 4x4 (402-12) and multi-format 4x4/4x5.650 (410-04), bracket for for Ø15mm rods, cover end plate with thread Ø110mm 401-411 Light weight support 450-15 Adapter ring Ø110:81mm	1,145.00

450W-20	MatteBox 450R2 Super Wide, wide angle Matte Box for cameras with 1/3" or 1/2" chip, with Double-Rotating-Filter Stage, incl. french flag (450-11), 2 filterholder multiformat 4x4/4x5.650 (410-04), bracket for Ø15mm rods & clamp adaptor Ø130mm.	995.00
450W-EX3KIT	Kit MB 450 R2 Super Wide for Sony PMW-EX3: Super Wide MatteBox(456-R20), french flag (450-11), 2x rotatable filterholders multi-format 4x4/4x5.650 (410-04), bracket Ø15mm rods, Clamping plate Ø 130mm with addi. intermediate ring 130:110mm (411-67) for use of screw-in rings, Inserting 110:85mm (410-39), Light weight support with dished end plate (401-422)	1,395.00
455-A109	Adaptor ring 110:109mm (flexible) for DV SunShade R1 and CMB-R10 / R20 on Canon wide angle converter WD-H72	25.00
456-02	see now 456-30	
456-20	MatteBox 456 Academy Double, for cameras with full format chip, with Double - Rotating Filter Stage, incl. french flag (402-26), 2 filter holders multi-format 5x5/4x5.650 (510-01), 16:9 (416-03) matte insert, bracket for Ø15mm rods and clamp adaptor Ø130mm.	1,245.00
456-203DA1KIT	Kit for Panasonic AG-3DA1 Kamera (3D): MatteBox 456 Academy Double, for cameras with full format chip, with Double - Rotating-Filter Stage, 2 filter- holders multi-format 5x5/4x5.650 (510-01), 16:9 matte insert, bracket for Ø15 mm rods and clamp adaptor Ø130mm. bracket for Ø15mm rods, cover end plate with thread Ø110mm, 401-415 Light weight support. 410-65 special retaining ring Ø 130:AG-3DA1 for Panasonic 3D camera	1,620.00
456-20AF1KIT	Kit for Panasonic AG-AF100 for lens with outer Ø 95-125mm: MatteBox 456 Academy Double, for cameras with full format chip, with Double - Rotating-Filter Stage, 2 filter- holders multi-format 5x5/4x5.650 (510-01), 16:9 matte insert, bracket for Ø15 mm rods and clamp adaptor Ø130mm. 401-427 Light weight support for AG-AF100, 411-68 Flexi-Inserting for clamp-on-mount Ø 130mm for lens diameter 95mm to 125mm.	1,560.00
456-20AL	1. MatteBox 456 Academy Double, for cameras with full format chip, with Double - Rotating- Filter Stage, incl. french flag (402-26), 2 filter holders multi-format 5x5/4x5.650 (510-01), 16:9 (416-03) matte insert, bracket for Ø 15 mm rods and clamp adaptor Ø 130 mm. 2. Step-Down ring 130:xx mm, at free choice (will be listed seperately) 3. DSW® 500 Direct Swing-Away System (401-503) 4. Pair of VariTube® telescopic rods Ø 15 mm, length 150-230 mm (401-01VT)	1,373.00
456-20ALSR	1. MatteBox 456 Academy Double, for cameras with full format chip, with Double - Rotating Filter Stage, incl. french flag (402-26), 2 filter holders multi-format 5x5/4x5.650 (510-01), 16:9 (416-03) matte insert, bracket for Ø 15 mm rods and clamp adaptor Ø 130 mm. 2. Step-Down ring 130:xx mm, at free choice (will be listed seperately) 3. DSW® 500 Direct Swing-Away System (401-503) 4. Pair of VariTube® telescopic rods Ø 15 mm, length 150-230 mm (401-01VT) 5. Follow Focus Studio Rig Cine Single (204-01S) 6. Focus gear Ø 36,8 mm, mod 0.8 (201-22)	2,174.00
456-20F31KIT	Kit for Sony PMW-F3, for lenses with outer Ø 95-125mm: MatteBox 456 Academy Double, for cameras with full format chip, with Double - Rotating-Filter Stage, 2 filter- holders multi-format 5x5/4x5.650 (510-01), 16:9 matte insert, bracket for Ø15 mm rods and clamp adaptor Ø130mm. 401-415 Light weight support. 411-68 Flexi-Inserting for clamp-on-mount Ø 130mm for lens diameter 95mm to 125mm.	1,560.00
456-30	MatteBox 456 Academy Triple, for cameras with full format chip, with Triple-Rotating-Filter Stage, incl. french flag (402-26), 3 filterholders multiformat 5x5 / 4x5.650 (510-01), 16:9 matte insert, bracket for Ø15 mm rods & clamp adaptor Ø130mm.	1,395.00
456-R20	see now 450W-20	
456R2-EX3KIT	see now 450W-EX3KIT	
510-01	Filterholder multi-format 5x5 and 4x5.650 horizontal filters (150mm wide)	130.00
510-02	Filterholder 5x6 vertical (150mm wide)	130.00
510-03	Filterholder 5.650x5.650	130.00
510-05	Filterholder multi-format 5.650x5.650 and 4x5.650 vertical Filters	130.00
520-01	Support bracket for Sony color monitor HDVF-C30W	190.00
520-02	Cable, length 730mm, for color viewfinder HDVF-C30WR and HDVF-C35W, original SONY (needed for use with 530-01/530-01R and 535-01)	515.00
530-01R	HD-Cine Viewfinder for use with Sony monitor HDVF-C30W/WR - consisting of: * viewfinder eyepiece unit with bayonet mount * sliding bracket * oval bracket with locking device for telescopic levelling arm (ARRI-LE)	2,850.00
535-01	HD-Cine Conversion for the Sony monitor HDVF-C35W, comprises a viewfinder attachment, straight eyepiece and a lateral rod assembly to use the monitor with a Sony F23/35 camera in cine-style mode. Please order extra: telescopic levelling arm (Art. ARRI-LE) and long Sony cable (Art. 520-02)	2,980.00
550-MA	Hinged Support with central clamp and two 1/4" threads.	120.00
601-CF-W1	Filterstage for 1 geared FH 6.6x6.6 rotating, to add on MatteBox (instead of Standard 610-CF/ST) - for use of extreme Wide Angle Lenses, FH is not included	435.00
601-CF-W22	Filterstage for 2 Filterholder 6.6x6.6 rotating (2x geared FH), to add on MatteBox (instead of Standard 610-CF/ST), Filterholder is not included	660.00

602-01	MatteBox 6.6x6.6 with Swing-Away Unit with height adjustment for Bridgeplate Ø19mm rods 4 Filterholders, Flexible Shaft, French Flag + 2 adjust. SideWings, Rear Plate Ø 165 mm, Intermediate Ring Ø 165:142,5mm (610-14)	3,385.00
610-01	Filterholder 6.6x6.6	216.00
610-01-45	Insert Filterholder 4x5.650 (4x4) to use inside FH 6.6x6.6 (610-01, 610-02)	205.00
610-01-56	Insert Filterholder 5x6 (and 5x5) to use inside FH 6.6x6.6 (610-01, 610-02)	205.00
610-01-565	Insert Filterholder 5.650x5.650 to use inside FH 6.6x6.6 (610-01, 610-02)	225.00
610-02	Filterholder 6.6x6.6 geared - as spare	310.00
610-03	Filterholder 6x6 for MB 601/602	235.00
610-09	French Flag for MB 601	65.00
610-10	Set of Side Wings for MB 601/602	395.00
610-14	Intermediate Ring 165:142,5mm for use of rubber bellows or intermediate rings 142,5:xxmm	245.00
610-20	Flexible Shaft for geared Filterholder	165.00
610-MA	Set of Masks for MB 601/602. Format 16:9, for F = 8/12/20/40mm.	165.00
610-PM	Pivot Mechanism + Fixing Screws for Side Wings at MB 601 (set-2 sides)	65.00
801-01.1	Filterstage consisting of: Swing-away bracket, Quick-lock device, 1 Filterholder compartment, 1 Filterholder 410-31 (4x4/4x5.650), rear plate Ø 142,5mm	1,455.00
805-02	Wide angle MatteBox 16:9/4:3 and Film, incl. housing CLWAH-8, french flag, pivot mechanism, swing-away bracket for Ø 15mm LWS rods, single filterstage with 1 fh multi-format 4x4/4x5.650 (410-31), rear plate Ø 142.5mm	1,795.00
805-02R	Wide angle MatteBox 16:9/4:3 and Film, incl. housing (CLWAH-F8), french flag, pivot mechanism, swing-away bracket for Ø 19mm rods, single filterstage with 1 filterholder multi-format 4x4/4x5.650 (410-31), rear plate Ø 142,5mm	1,795.00
805-RED	Wide angle MatteBox 805 RED version, incl. housing (CLWAH-F8), french flag, pivot mechanism, swing-away bracket for Ø 19mm rods, filterstage with FH 4x4/4x5.650 (410-31) second rotating stage with FH 4x5.650/5x5 (510-01), rear plate Ø 142.5mm	1,995.00
820-01	Single filterstage, rotatable, up to focal length 4.5mm (zoom), without Filterholder, for MB 805	135.00
820-02	Double filterstage, rotatable, without Filterholders, for MB 805	250.00
820-03	Triple filterstage, rotatable, without Filterholders, for MB 805	360.00
820-05	Swivel filterstage, rotatable, up to focal length 5,2mm, without Filterholder, for MB 805	235.00
840-01	MatteBox 5.650x5.650, incl. housing (CLWAH-01), french flag, pivot mechanism, swing-away bracket for Ø 15mm LWS rods, quick-lock device, FH compartment (840-41) with 2 filterholders 510-05 & 410-32 (both rotating), rear plate Ø 142.5mm	2,290.00
840-01/KIT	MatteBox 5.650x5.650, incl. housing (CLWAH-01), french flag, pivot mechanism, swing-away bracket for Ø 15mm LWS rods, quick-lock device, FH compartment (840-41) with 2 filterholders 510-05 & 410-32 (both rotating), rear plate Ø 142,5mm, incl. modification kit (840-20) for SunShade	2,605.00
840-01R	MatteBox 840 RED version, incl. housing (CLWAH-01), french flag, pivot mechanism, swing-away bracket for Ø 19mm rods, quick-lock device, FH compartment (840-41) with 2 filterholders 410-32 multiformat 5x5/4x5.650 (both rotating), rear plate Ø 142,5mm	2,290.00
840-13	SunShade 840, 5.650x5.650, housing CLWAH-01, french flag, pivot mechanism, quick-lock device, double filter stage with 2 filterholders 510-05 & 410-32 (both rotating), clamp adaptor (840-20) Ø 130mm	2,130.00
840-20	Clamp Adaptor Ø 130mm (for MatteBox 840-01 + SunShade 840-13)	315.00
840-21	Swing-Away Lockplate for MatteBox 840-01	495.00
840-22	Swing-Away Hinge for MatteBox 840-01	475.00
840-23	Swing-Away Arm for Ø15mm rods at MB 840	475.00
840-24R	Mount for MatteBox MB 805 and MB 840 Swing-Away Arm on Ø19mm rods.	265.00
840-41	Filterholder Unit for 2 Filterholder, both rotating, up to focal length 4.3mm (zoom), without Filterholder, for 840 MB/SD	490.00
840-41S	Swivel filterstage, double, rotatable, 1. stage swiveling, up to focal length 5.2mm, for MB 840	645.00
840-42	Filterholder Unit for 3 filterholders, all separately rotating, up to focal length 5.2mm, without Filterholder, for 840 MB/SD	710.00
AA-A-P/CAM	Combined Power Cable Aaton Camera 6 pin Lemo + camera on/off - Aladin / Digi FOX 4pin Hirose	180.00
AA-A2-P/CAM	Combined Power Cable Aaton Camera 6 pin Lemo + camera on/off - Aladin2 Lemo 0B 5pin	180.00
AA-G/F12	Power Cable Aaton Camera 6 pin Lemo - GENIO / FOX 4pin Hirose	145.00
AB-AL	Power Cable 12 Volt A/B D-Tap - Aladin / Digi FOX 4pin Hirose	115.00
AB-AL2	Power Cable 12 Volt A/B D-Tap - Aladin2 Lemo 0B 2pin	115.00
AB-G/F12	Power Cable 12 Volt A/B D-Tap - GENIO / Mag FOX 4pin Hirose	115.00
ABAI	Adaptor for Abakus viewfinder extension to Ikegami camera with bracket for levelling support arm (Art.no.: Arri-LE). Please order separately, not included.	515.00
ABAP	Adaptor for Abakus viewfinder extension to Panasonic camera with bracket for levelling arm (Art.no.:Arri-LE). Please order separate, not included.	515.00

ABAS	Adaptor for Abakus viewfinder extension to Sony camera (w. b/w viewfinder) with bracket for levelling arm (Art.no.:Arri-LE). Please order seperate, not included.	515.00
ABAVF	Abakus Viewfinder Extension EP265	3,480.00
AL-3-401	see new version AL2-3-401	
AL-4-401	see new version AL2-4-401	
AL-BAT	NC Battery for Aladin	185.00
AL-CH	Charger with adaptor for Aladin Batteries 100 - 240V	265.00
AL-CP	Config. Dummy Plug for Aladin external iris unit	95.00
AL-FI	Aladin Focus/Iris Module	3,060.00
AL-FI-US	Aladin Focus/Iris Module US Version	3,060.00
AL-HWA	Aladin Hardwire Adaptor for external Iris, length of cable 3m	330.00
AL-HWA-Z	Aladin Hardwire Adaptor for Zoom, length of cable 1m (wire connection, use instead of battery, to combine with AL-RK !)	330.00
AL-I	Aladin external iris w. configuration plug	1,890.00
AL-I-US	Aladin external iris w. configuration plug US-version	1,890.00
AL-LS	Dimmer unit "Light Source" with Y-combination cable for Aladin dimmer module, XLR 4 pin to power source, Lemo 7 pin to receiver motor socket, Lemo 3 pin to dimmer unit	985.00
AL-LS-X	Y-combination cable for Aladin dimmer module, XLR 4 pin to power source, Lemo 7 pin to receiver motor socket, Lemo 3 pin to dimmer unit (spare part)	185.00
AL-MOTC	Motorcontroller module V. 2.1 digital for Aladin/ DigiFox	790.00
AL-PS	Power supply with adaptor for Aladin Hand Control Units 100 - 240V	265.00
AL-RK	Aladin Rod Clamp, special non electric for hard wired zoom demand (to combine with AL-Z and AL-HWA-Z)	440.00
AL-RKE	Aladin Rod-Clamp Universal, with plug and socket inserts	660.00
AL-SD	Mini screw driver to be inserted in Aladin Transceiver (spare)	10.00
AL-T400	Aladin Transceiver modul with antenna (433 - 434 MHz 16 channels)	1,290.00
AL-T400US	Aladin Transceiver modul with antenna (458- 459 MHz 16 channels)	1,290.00
AL-Z	Aladin Zoom Unit	2,105.00
AL-Z-400	Aladin Zoom Control: incl. Transceiver with antenna, zoom module + digital motorcontroller with antenna + 2 NC batteries + charger + manual (can be upgraded later for focus and iris)	6,685.00
AL-Z-400US	Aladin Zoom Control: incl. Transceiver with antenna, zoom module + digital motorcontroller with antenna + 2 NC batteries + charger + manual (can be upgraded later for focus and iris) US-version	6,685.00
AL-Z-US	Aladin Zoom Unit US-version	2,105.00
AL-ZUP	Aladin upgrade kit for Zoom: zoom unit + battery + motorcontroller board for digital motor (to be inserted in box- not needed for Aladin Mrk II)	2,955.00
AL2-3-401	ALADIN MK II (3D) 2+ for Focus - Iris Convergency - Cam. start/stop Including: 1 rf Transceiver module with antenna, 1 Focus-Iris module incl. 1 scale, 2 NC batteries, 1 charger, 1 receiver incl. antenna for controlling up to 8 motor channels, manual	9,085.00
AL2-4-401	ALADIN MK II (3D) 3+ for Focus - Iris - Zoom Convergency - Cam. start/stop Including: 1 rf Transceiver module with antenna, 1 Focus-Iris module incl. 1 scale, 1 Zoom hand controller module, 2 NC batteries, 1 charger, 1 receiver incl. antenna for controlling up to 8 motor channels, manual	11,190.00
AL2-COFA	ALADIN2 Camera Cable on/off Lemo 0B 5pin - ARRI 11pin Fischer	145.00
AL2-COFA-M	ALADIN2 camera cable on/off Lemo 0B 5pin - ARRI SR III, 535 + Moviecama SL + Sony F35 + Pro35 Adapter, RS 3pin Fischer	145.00
AL2-COFAA2	ALADIN2 Camera Cable on/off Lemo 0B 5pin - Aaton 2pin Lemo	145.00
AL2-COFAA6	ALADIN2 Camera Cable on/off Lemo 0B 5pin - Aaton 6pin Lemo	145.00
AL2-COFMOV	ALADIN2 Camera Cable on/off Lemo 0B 5pin - Moviecama Compact 2 pin Fischer	145.00
AL2-COFPAN	ALADIN2 Camera Cable on/off Lemo 0B 5pin - Panavision Lemo 10 pin	160.00
AL2-COFV-C	ALADIN2 Camera Cable on/off Lemo 0B 5pin - Canon lens 8 pin connector	220.00
AL2-COFV-F	ALADIN2 Camera Cable on/off Lemo 0B 5pin - Fujinon lens Hirose 12 pin	150.00
AL2-COFV-V	ALADIN2 Camera Cable on/off Lemo 0B 5pin - video camera direct Hirose 12 pin	150.00
AL2-MCU8-401	ALADIN MK II Motor Control Unit for up to 8 digital motors incl. Antenna	4,100.00
AMOTD100	Motor cable ALADIN / Digi FOX length 100cm for digital motors (Heden M26VE, BTM, Scorpio SB92, Preston DM2)	165.00
AMOTD60	Motor cable ALADIN / Digi FOX length 60cm for digital motors (Heden M26VE, BTM, Scorpio SB92, Preston DM2)	165.00
ARRI-A-P/CAM	Combined Power Cable + camera on/off ARRI camera 12 Volt 11 pin Fischer - Aladin / Digi FOX 4pin Hirose	180.00
ARRI-A2-P/CAM	Combined Power Cable + camera on/off ARRI camera 12 Volt 11 pin Fischer - Aladin2 Lemo 0B 5pin	180.00
ARRI-G/F12	Power Cable ARRI cameras 12 Volt 11 pin Fischer - GENIO / FOX 4pin Hirose	145.00
ARRI-G/F24	Power Cable ARRI camera 24 Volt 3 pin Fischer RS + Moviecama SL - GENIO / FOX 4pin Hirose	145.00

ARRI-LE	Telescopic levelling arm EL 3, for Abakus Viewfinder, original part from ARRI (SetNo.: K0.60039.0, consisting of K2.47768.0 + K2.47767.0)	640.00
BP90-AL	Power Cable 12 Volt PAG BP90 connector - Aladin / Digi FOX 4pin Hirose	150.00
BP90-G/F12	Power Cable 12 Volt PAG BP90 connector - GENIO / Mag FOX 4pin Hirose	150.00
BTM7	Digital Motor with digital encoder, vertical, complete w. gears module 0.8 + 0.6 + 0.5 + 0.4 and bracket for mounting to 19mm + 15mm rods	2,200.00
C-AAA	Lens Mount Adaptor for Collimator/Projector Aaton	985.00
C-ABNCR	Lens Mount Adaptor für Collimator/Projector BNCR	985.00
C-ACM	C-Mount Adaptor for Collimator/Projector	195.00
C-APA	Lens mount Adaptor for Collimator/Projector Panavision	985.00
C-APL	Lens Mount Adaptor Arriflex PL for Collimator/Projector	985.00
C-ASTB	Lens Mount Adaptor Arriflex Standard Bayonet for Collimator/ Projector	1,245.00
C-ATT2M	2-Meter-Attachment	2,780.00
C-BCWA	Beam Converter 4x, D=45mmfor for Collimator Mark III. For testing wide angle lenses with 4-19mm focal length.	3,465.00
C-CTB	Autoreflex Collimator - Lens and Camera Test Bench- basic unit consisting of: Autoreflex collimator Siemens star reticle built-in Objective tube F300 (Ø 65mm) power supply (115 or 230V) with illuminator 3.5 - 6V 2 hardened steel grinded columns, length 1.0 m, moveable platform for camera	14,980.00
C-DMH	Digital Micrometer Head mounted on Holding Block: digital display reading accuracy 0.001mm, adjustment to zero in every position	3,845.00
C-KL1500	Cold Light Source Schott KL 1500 LC electr. 230 incl. power cable. spare bulb Halogen Osram 15V 150W	1,890.00
C-LCC115	LensCamCollimator Lens test bench w testing device Mark III 45S mounted fix, grinded stainless steel columns, length 1m, 115V, cold light lamp, sliding platform with the lens gauge block and digital mcrometer with reading accuracy of 0.001mm, CCD camera, plane glass	31,105.00
C-LCC230	LensCamCollimator Lens test bench w testing device Mark III 45S mounted fix, grinded stainless steel columns, length 1m, 230V, cold light lamp, sliding platform with the lens gauge block and digital mcrometer with reading accuracy of 0.001mm, CCD camera, plane glass	31,105.00
C-LTB115	CamCollimator, Universal Lens- and Camera Test Bench with Testing Device Mark III 45S Basic Unit - consisting of: 2 hardened steel grinded columns, standard length 1,50m 2 moveable tables on special ball bearings: 1 platform for camera, 1 platform for bracket to collimate 1 adjustable height support 250mm for Mark III 45S 1 steadiness and parallaxe chart 1 platform for monitor with swing-away bracket 1 measuring Head Mark III 45S 1 power supply (115V) incl. cold light lamp 15V, 150W with light conductive fiber 1 viewfinder for ocular observation 1 connector for TV-camera 1 plane parallel glass plate Ø63mm 1 CCD-camera MT012 b/w, incl. power supply + C-mount 1 DMH Digital Micrometer with reading accuracy 0.001mm	41,715.00
C-LTB230	CamCollimator, Universal Lens- and Camera Test Bench with Testing Device Mark III 45S Basic Unit - consisting of: 2 hardened steel grinded columns, standard length 1,50m, 2 moveable tables on special ball bearings, 1 platform for camera, 1 platform for bracket to collimate, 1 adjustable height support 250mm for Mark III 45S, 1 steadiness and parallaxe chart, 1 platform for monitor with swing away bracket, 1 measuring Head Mark III 45S, 1 power supply (230V) incl. cold light lamp 15V, 150W with light conductive fiber, 1 view finder for ocular observation, 1 connector for TV-camera, 1 plane parallel glass plate 63mm, 1 CCD-camera MT012 b/w, incl. power supply + C-mount, 1 DMH Digital Micrometer with reading accuracy 0.001mm	41,715.00
C-MB13	Measuring Block HD 1/3" 41.99 mm + ground plate + measuring block 24.47 mm + Collar + Analogue Measuring Gauge = set of 5	645.00
C-MBTS12	Measuring Block BTS 1/2" 50.45mm + C-Mount 17.52 mm + Collar + Analogue Measuring Gauge = set of 4	645.00
C-MBEF	Measuring block Canon EF 44mm + ground plate + measuring block + collar + analogue measuring gauge = set of 5 pcs + tool	645.00
C-MBENG	Measuring Block ENG SD 2/3" 65.24mm, consisting of: groundplate, measuring cylinder 65,24mm, calibration cylinder SD 47.72mm, analogue measuring gauge, holder for gauge, screw driver	645.00
C-MBHD	Measuring Block HD 65.03mm, consisting of: ground plate, measuring cylinder HD 65.03mm, calibration cylinder HD 47.51mm, analogue measuring gauge, holder for gauge, screwdriver	645.00
C-MBS12	Measuring Block Sony 1/2" 52.71mm, consisting of: ground plate, Sony 1/2" 52.71mm, calibration cylinder Sony 1/2" 35.19mm, analogue measuring gauge, holder for gauge, screw driver	645.00
C-PPG	Plane Parallel Glass Ø 63 mm	830.00
CBH-S16	C2 Combi System - Compact Bellows Housing Super 16 / 16:9, incl. French Flag and Side Wings	1,055.00
CCD-LCTB	CCD-Camera MT 012 B/W, for Testbench, incl. power supply CV 12 + C-mount Adaptor, s/n	980.00

CF-MB/ST	C2 Combi System - Compact Double-Filterstage, for MatteBox Version. Incl. 2 Filterholders (4x4/4x5.650 and rotatable 4x4), rubber bellows with ring Ø 100mm, clamp adaptor for 15mm rods.	698.00
CF-MB/ST110	C2 Combi System - Compact Double FilterStage, MatteBox Version, incl. 2 Filterholder	698.00
CLWAH-43	Compact LARGE Wide Angle Housing 4:3, incl. french flag	220.00
CLWAH-8-01	Compact Large Wide Angle Housing 4:3/16:9 - spare housing for MB 805-01	165.00
CLWAH-8-02	Compact LARGE Wide Angle Housing F4.5mm housing with angled mount. blocks (spare hood for MB 805-02)	165.00
CLWAH-F4.5-01	Compact LARGE WideAngle Housing 4:3/16:9, F4.5mm spare housing with mounting blocks	165.00
CMB-R-01	Spare part housing CMB-R20, incl. mounting blocks top	140.00
CMB-R10	R10 Clamp-on Sunshade, incl. french flag (450 -12), with single-filterstage, rotatable, 1x filterholder 4x4 (402-12), clamp adaptor with connection Ø110mm. Extendable with Direct-Swing-Away® bracket	440.00
CMB-R10-01	Spare part housing CMB-R10, incl. mounting blocks top	140.00
CMB-R20	R20 Clamp-on Sunshade, incl. french flag (450 -12), with double-filterstage twice rotatable, 2x filterholder 4x4 (402-12), Clamp adaptor with connection Ø110mm. Extendable with Direct-Swing-Away® bracket	580.00
COFA	GENIO / ALADIN Camera Cable on/off 4 pin Lemo - ARRI 11pin Fischer	145.00
COFA-M	GENIO / ALADIN Camera Cable on/off 4 pin Lemo - ARRI SR III, 535 + Moviecam SL + Sony F35 + Pro35 Adapter - RS 3pin Fischer	145.00
COFAA2	GENIO / ALADIN Camera Cable on/off 4 pin Lemo - Aaton 2pin Lemo	145.00
COFAA6	GENIO / ALADIN Camera Cable on/off 4 pin Lemo - Aaton 6pin Lemo	145.00
COFMOV	GENIO / ALADIN Camera Cable on/off 4 pin Lemo - Moviecam Compact 2 pin Fischer	140.00
COFPAN	GENIO / ALADIN Camera Cable on/off 4 pin Lemo - Panavision Lemo 10 pin	160.00
COFR1	GENIO / ALADIN Camera Cable on/off 4 pin Lemo - RED camera Lemo 4pin (0B) upper AUX-out socket (on/off pin 2) in default condition	145.00
COFV-C	GENIO / ALADIN Camera Cable on/off 4 pin Lemo - Video Canon lens (8 pin Canon)	220.00
COFV-F	GENIO / ALADIN Camera Cable on/off 4 pin Lemo - Video Fujinon lens (12 pin)	150.00
COFV-V	GENIO / ALADIN on / off Cable to camera outlet, 4 pin Lemo to Hirose 12 pin on the Video camera (for cinestyle or prime lenses).	150.00
COFV-V-TI	ALADIN Triax-Iris and on/off Cable to camera outlet, 4 pin Lemo to Hirose 12 pin at video camera - with calibration push-button (for cinestyle or prime lenses).	220.00
CWAH-1FC	C2 Combi System Compact Wide Angle Housing 4:3, inclusive french flag and mask 16:9 (416-03). With only 1 FH usable up to a focal length of 4.5mm.	226.00
CWAH-FV	C2 Combi System - Compact Wide Angle Housing 16:9 and Super 16, incl. french flag	220.00
CWAH-FV-02	C2 Combi System - WITHOUT French Flag Compact Wide Angle Housing 16:9 / S16	180.00
DF-400-R	Digi FOX Receiver (for digital motor) with antenna	2,150.00
DF-401	DigiFOX (for digital motors) for Focus & Camera on/off: transmitter with 1.5 V battery (D cell) + scale + antenna + receiver + antenna + strap (light blue) + manual. Operation with 1.2 V rechargeable batteries optionally possible.	3,950.00
DF-401-US	Digi FOX US-Version 457 MHz (for digital motors) for Focus & Camera on/off: Transmitter with 1.5 V battery (D cell) + scale + antenna + receiver + antenna + strap (light blue) + manual. Operation with 1.2 V rechargeable batteries as option possible.	3,950.00
DF-PP	Digi FOX PowerPack, comprises rechargeable battery and charger: 1,2 V Mono D cell NiMH with 8.5 Ah capacity, very low self-discharge and durability due to eneloop/+maxE-technology. Microprocessor controlled charger with 1A charge current, up to four different battery types can be charged together, power supply with 4 plugs fitting most outlets, 12 V car adaptor.	95.00
DFCOF4C	DigiFOX camera start/stop cable to be used in conjunction with combined cable for power and control of internal focus motors of Canon lenses. Canon 8 pin to DigiFOX Hirose 4 pin.	210.00
DFCOF4F	DigiFOX camera start/stop cable to be used in conjunction with combination cable for power and control of internal focus motors of Fujinon lenses. Hirose 12 pin to DigiFOX Hirose 4 pin.	145.00
DFCOFA	DigiFOX camera start/stop cable Hirose 5pin ARRI 11pin Fischer	145.00
DFCOFA-M	DigiFOX camera start/stop cable Hirose 12 pin - ARRI 535/435/SR III + Moviecam SL+ Sony F35 + Pro35 Adapter + SI-2K, 3 pin Fischer RS	145.00
DFCOFAA2	DigiFOX camera start/stop cable Hirose 12 pin - Aaton 2pin Lemo	145.00
DFCOFAA6	DigiFOX camera start/stop cable Hirose 12 pin - Aaton 6pin Lemo	145.00
DFCOFMOV	DigiFOX camera start/stop cable Hirose 12 pin - Moviecam Compact 2 pin Fischer	145.00
DFCOFPAN	DigiFOX camera start/stop cable Hirose 12 pin - Panavision Lemo 10 pin	160.00
DFCOFR1	DigiFOX camera start/stop cable Hirose 12 pin - RED camera Lemo 4pin (0B) upper AUX-out socket in default condition	145.00
DFCOFV-C	DigiFOX camera start/stop cable Hirose 12 pin - Video lens CANON 8pin	210.00
DFCOFV-F	DigiFOX camera start/stop cable Hirose 12 pin - Video lens Fujinon 12 pin	145.00
DFCOFV-V	DigiFOX camera start/stop cable Hirose 12 pin - Video camera directly (for film style or prime lenses) Hirose12 pin	145.00

DFMPVX	Combined Cable: control of internal focus motor Panasonic DVX/HVX and start/stop function 2,5mm stereo jack + 3,5 mm phone jack 4 pol - to DigiFOX Hirose 12 pin.	165.00
DFPMCA	Combined Cable: Power + Control of internal Focus Motor Canon Analog Hirose 6pin - to DigiFox Hirose 12pin	145.00
DFPMCD	Combined Cable: Power + Control of internal Focus Motor Canon Digital Hirose 20pin - to DigiFox Hirose 12pin	245.00
DFPMF	Combined Cable: Power + Control of internal Focus Motor Fujinon Analog / Digital Hirose 12pin - to DigiFox Hirose 12pin	145.00
ETRIXD	Special triax cable, Ø 4mm, L. ca. 2.5 m Damar & Hagen	1,050.00
ETRIXF	Special triax cable, Ø 4mm, L. ca. 2.5 m Fischer	725.00
ETRIXL	Special triax cable, Ø 4mm, L. ca. 2.5 m Lemo	845.00
EU12	Extension Unit Ø 1/2":15mm, with rod Ø 15mm, red	65.00
EU15	Extension Unit Ø 15:15mm, with short rod Ø 15mm	65.00
EU15-60	Extension Unit Ø 15:15mm (distance hole center 60mm) - no rod included	65.00
EU15-82	Extension Unit Ø 15:15mm (distance hole center 82mm) - no rod included	65.00
EU15X	Extension Unit Ø 15:15mm, with rod Ø 15mm, red	65.00
EU19	Extension Unit Ø 19:15mm, with short rod Ø 15mm	65.00
EU19-82	Extension Unit Ø 19:15mm (distance hole center 82mm) - no rod included	65.00
FANT	Antenna (straight) for transceiver (FOX, ALADIN transceiver)	50.00
FANTR	Antenna (angled) for receiver (motor controller) FOX and ALADIN as well as Colibri	50.00
FCOFA	FOX Camera on/off cable Hirose 5pin - ARRI 11pin Fischer	145.00
FCOFA-M	FOX Camera on/off cable Hirose 5pin - ARRI 535/435/SR III & Moviecam SL + Pro35 Adapter, 3 pin Fischer RS	145.00
FCOFAA2	FOX Camera on/off cable Hirose 5pin - Aaton 2pin Lemo	145.00
FCOFAA6	FOX Camera on/off cable Hirose 5pin - Aaton 6pin Lemo	145.00
FCOFMOV	FOX Camera on/off cable Hirose 5pin - Moviecam Compact 2 pin Fischer	145.00
FCOPAN	FOX Camera on/off cable Hirose 5pin - Panavision Lemo 10 pin	160.00
FCOFR1	Mag FOX Camera on/off cable Hirose 5pin RED camera Lemo 4pin (0B) upper AUX-out socket in default condition	145.00
FCOFV-C	FOX Camera on/off cable Hirose 5pin - Video lens CANON 8pin	210.00
FCOFV-F	FOX Camera on/off cable Hirose 5pin - Video lens Fujinon 12 pin	140.00
FCOFV-V	FOX Camera Cable on/off Hirose 5pin - Video camera directly (for film style or prime lenses) Hirose12 pin	140.00
FD-400	COLIBRI Wireless Remote Dimmer, Set comprising transmitter, receiver with dimmer, power supply for transmitter, DMX cable (FD-DMX) with 5 pin XLR plug (for transmitter), 2 antennas. Options: power cables for receiver with 4 pin XLR or Anton/Bauer connector.	2,870.00
FD-400E	Colibri receiver with dimmer and antenna	1,490.00
FD-400S	Colibri transmitter with antenna	1,380.00
FD-800	COLIBRI Wireless Remote Dimmer for 869 MHz band Set comprising transmitter, receiver with dimmer, power supply for transmitter, DMX cable with 5 pin XLR plug (for Transmitter.), 2 antennas. Options: power cables for receiver with 4 pin XLR or Anton/Bauer connector.	2,870.00
FD-800E	Colibri receiver with dimmer 869 MHz	1,490.00
FD-800S	Colibri transmitter 869 MHz	1,380.00
FD-AB	Power cable with A/B D-Tap connector for COLIBRI receiver	135.00
FD-DMX	Colibri DMX cable with 5pol XLR Plug	135.00
FD-PRO	Power cable PRO system (AUX out) with Lemo 1S.302 Connector for COLIBRI receiver	135.00
FD-PS	Colibri power supply.	185.00
FD-STM-1	Power cable with 2 Pin Lemo (0B) connector for COLIBRI receiver at SteadiCam Master	135.00
FD-XLR	Power cable with 4 pin XLR connector for COLIBRI receiver	135.00
FMB	NMH Battery 6V/600mAh for Mag / Digi FOX	98.00
FMCA	Charger with charging adaptor for Mag / Digi FOX NH batteries	195.00
FMOTCH	Motor cable FOX - Heden, CP analog motor	165.00
GMOTCH	Motor cable GENIO - HEDEN, CP analog motor	165.00
MKV-AL	Power Cable MK-V, Lemo 3 pol - Aladin / Digi FOX 4pin Hirose	155.00
MKV-AL2	Power Cable MK-V, Lemo 3 pol Aladin2 Lemo 0B 2pin	155.00
MOV-G/F24	Power Cable Moviecam Compact 24Volt Fischer 2pin - GENIO / Mag FOX 4pin Hirose	140.00
MOV-AL	Power Cable Moviecam Compact 24Volt Fischer 2pin - Aladin / Digi FOX 4pin Hirose	140.00
MOV-AL2	Power Cable Moviecam Compact 24Volt Fischer 2pin - Aladin2 Lemo 0B 2pin	140.00
P-FMCEF	Mount for Canon EF 35 mm photo lenses	780.00
P-FMLM	Mount for Leica M (35mm still photography)	720.00
P-FMN	Mount for Nikon (35mm still photography)	720.00
P-LAMP	Spare lamp for Projector Osram HLX64640 Halogen, 150W - 24V	18.00
P-LP	Laserpointer for use with projector	345.00

P-MTF-100	MTF Star System, complete for use with a Chrosziel Test Projector. Consisting of: The MTF Star Software, MTF Star Sensor, USB connecting cable Sensor to PC, MTF Star Test Chart P-TCMW23 with all HDTV formats. For projecting and measuring all test targets with lenses of focal length of 3,5mm - 70mm and selected targets up to 140mm focal length.	12,450.00
P-RC	Remote Control for Lens Test Projector MK5 (and previous versions). Complete set consists of: 3m / 9.8ft cable, motor with mounting flange and gear, Handgrip with rocker switch and battery compartment, 9 Volt block-battery. Accuracy of positioning: 5 µ. Soft start of motor. Optional available are cable with 5m / 16.4ft and 10m / 32.8ft length.	1,280.00
P-TCF	Test Chart for Cine 35mm / S16	1,770.00
P-TCHD	Test Chart for HDTV 16:9 and Standard Definition 4:3	1,445.00
P-TCMW23	Test Chart for MTF Engine, optimized for HDTV wide angle lenses. Full measuring range 3,5 - 70mm focal length, limited check up to 140mm possible (focal length stated for 2/3" HD format). Optimized for tele lenses is the Test Chart P-TCMT23.	1,395.00
P-TCMW35	Test Chart for MTF Engine, optimized for 16-35mm formats and wide angle lenses. Full measuring range 12 - xx mm focal length, limited check up to xxmm possible (focal lgth. stated for 35 mm movie format). Optimized for tele lenses is the Test Chart P-TCMT35.	1,395.00
P-TP5	Lens Testing Projector MK5 basic unit consisting of: powercable, measuring plane glass, measuring gauge, spare bulb 24V-150Watt, copilot L24 lamp for darkroom, lens support, data sheet	13,045.00
P-VM13	Mount with Glassway for 1/3" HD, 41.99mm.	2,950.00
P-VMBTS12	BTS Mount with Glassway 1/2" 50.45mm	2,765.00
P-VMHD	Sony Mount with Glassway 2/3 HD - 65.03mm	2,395.00
P-VMI	Ikegami Mount with Glassway 2/3" - 76.94mm	2,795.00
P-VMS	Sony Mount with Glassway 2/3" ENG - 65.24mm	2,795.00
P-VMS12	Sony Mount with Glassway 1/2" - 52.71mm	2,765.00
P-VMZ	Sony Mount with Glassway 2/3 Zeiss HD 65.06mm	2,395.00
PAN-A-P/CAM	Combined Power Cable + camera on/off Panavision 24 Volt Lemo 11 pin - Aladin / Digi FOX 4pin Hirose	185.00
PAN-A2-P/CAM	Combined Power Cable + camera on/off Panavision 24 Volt Lemo 11 pin - Aladin2 Lemo 0B 5pin	185.00
PAN-G/F24	Power Cable Panavision 24 Volt (Lemo 10 pin - GENIO / Mag FOX 4 pin Hirose	165.00
PANMILL-AL	Power Cable Panavision Milliped/Millennium 24 Volt Lemo 2pol - Aladin / Digi FOX 4pin Hirose	160.00
PANMILL-AL2	Power Cable Panavision Milliped/ Millennium 24 Volt Lemo 2pol Aladin2 Lemo 0B 2pin	160.00
PANMILL-G/F24	Power Cable Panavision Milliped/Millennium 24 Volt Lemo 2pol - Genio / Mag FOX 4pin Hirose	160.00
PP90-AL2	Power Cable 12 Volt PAG PP90 con. Aladin2 Lemo 0B 2pin	150.00
PRO-AL	Power Cable PRO/Artemis 12V, 4 pin Lemo - Aladin / Digi FOX 4pin Hirose	155.00
PRO-AL2	Power Cable PRO/Artemis 12V, 4 pin Lemo Aladin2 Lemo 0B 2pin	155.00
RIG-AL	Power Cable RIG 12V, Lemo 3 pin - Aladin / Genio 12V/ MagFox 12V -Digi FOX - 4pin Hirose	140.00
RIG-AL2	Power Cable RIG 12V, Lemo 3 pin Aladin2 Lemo 0B 2pin	140.00
RMB	Mounting Bracket for Motor Control Unit resp. Receiver GENIO / FOX / DigiFOX / ALADIN / COLIBRI to Light Weight Support with Ø 15mm rods	95.00
RMB-IP	Intermediate Plate (stainless steel) for use of RMB Bracket (+ 2x DIN965 flat screws 4x6)	60.00
RS-A-P/CAM	Combined Power Cable + camera on/off ARRI + Moviecam SL + Sony F35 camera 24 Volt 3 pin Fischer RS - Aladin / Digi FOX 4pin Hirose	170.00
RS-A2-P/CAM	Combined Power Cable + camera on/off ARRI + Moviecam SL + Sony F35 camera 24 Volt 3 pin Fischer RS - Aladin2 Lemo 0B 5pin	170.00
S1001	SunShade 3x3 incl. 2 Filterholder 3x3 (1 rotating 160°), Clamp Adaptor Ø 85mm	330.00
S1001-01S	Adaptor for Sony DV cameras (VX-1000E, VX-9000E) with lenses Ø M52mm, Adapter aperture Ø 75.5mm	25.00
S1001-33	Filterholder 3x3 (for S1001 SunShade)	40.00
S1001-34	Filterholder 3x4 (for S1001 SunShade)	45.00
S1001-58A	Adaptor for DV cameras (e.g. PD150) M58 lens thread to 85mm clamp on diameter (funnel shape)	25.00
S1001-58SR	Adaptor for DV cameras (e.g. PD150) 85:58mm	25.00
S1001-62	Step down Ring for Sony WW Ø 85:62.5 mm Special made - only on request	15.00
S1001-65	Insert Ring Ø 85:65 mm (for JVC only in combination with LWS)	26.00
S1001-65S	Step-down Ring Ø 85:65 mm - special made	15.00
S1001-67	Adaptor Ø 85: M67 mm for Canon EF 18-135mm (Canon EOS 7D Standard lens)	25.00
S1001-73	Adaptor Ø 85:M72 mm screw-in, aluminum, for SD 3x3/DV4x4 or MB 411-53P/50P	15.00
S1001-75	Step-down Ring Ø 85:75.5 mm Sony	11.00
S1001-75C	Step-down Ring Ø 85:75 mm Century	11.00
S1001-79	Step-down Ring Ø 85:79 mm	11.00
S1001-79.5	Step-down Ring Ø 85:79.5 mm	11.00
S1001-80	Step-down Ring Ø 85:80 mm	11.00
S1001-82	Adaptor Ø 85:82 mm for Panasonic HVX-200 screw-in (only for use with 420-04 adaptor plate)	25.00

S1001-85	Adaptor Ø 85:72 mm for Canon XL1 alu screw-in	15.00
S1001-CB	SunShade 3x3 incl. 2 Filterholder 3x3 (1x rotating 160°), Clamp Adaptor Ø 85mm + Center Bracket for mounting on LWS	430.00
S1001-CB-01	Center Bracket for 3x3 SunShade	115.00
S1001-FF	Top french flag for 3x3 SunShade, incl. Pivot Rod	100.00
S1001-FF-01	French flag for 3x3 SunShade	35.00
S1001-FF-02	Pivot Rod for French Flag 3x3 cpl. incl. screws and shims	70.00
S1001-HP	Reducing Ring Ø 58:52 mm Heliopan 452 for Panasonic AG-EZ1 / NV-DX1E	20.00
S1001-HP1	Adaptor ring Ø 52:58 mm Heliopan 182	20.00
S1001-HP3	Adaptor ring Ø 58:37 mm Heliopan 789	20.00
S1001-HP77	Adaptor ring Ø 77:82 mm Heliopan 130	22.00
SC	Focus scale ring for Aladin / Genio / FOX handwheel	15.00
SCI	Scale for Aladin Iris control	15.00
SI	Scale illumination light (LED) for Aladin and DigiFOX	130.00
STM-AL	Power Cable STEADICAM Master 12V 2 pin Lemo - Aladin / Digi FOX 4pin Hirose	140.00
STM-AL2	Power Cable STEADICAM Master 12V 2 pin Lemo Aladin2 Lemo 0B 2pin	140.00
STM-G/F12	Power Cable STEADICAM Master 12V 2 pin Lemo - GENIO / FOX 4pin Hirose	140.00
STR	Lanyard	5.00
STU-G/F24	Power Cable STEADICAM Ultra 24V 3 pin Lemo - GENIO / FOX 4pin Hirose	140.00
STU12-AL	Power Cable STEADICAM Ultra / Archer / Clipper 12V 3 pin Lemo - Aladin / Digi FOX 4pin Hirose	140.00
STU12-AL2	Power Cable STEADICAM Ultra / Archer / Clipper 12V 3 pin Lemo - Aladin2 Lemo 0B 2pin	140.00
STU24-AL	Power Cable STEADICAM Ultra 24Volt 3 pin Lemo - Aladin / Digi FOX 4pin Hirose	140.00
STU24-AL2	Power Cable STEADICAM Ultra 24Volt 3 pin Lemo - Aladin2 Lemo 0B 2pin	140.00
XLR4-AL	Power cable 12/24V 4pin XLR - Aladin / Digi FOX 4pin Hirose	115.00
XLR4-AL2	Power cable 12/24V 4pin XLR - Aladin Mrk. II 2pin Lemo	115.00
XLR4-G/F24	Power cable 24V 4pin XLR - GENIO / FOX 4pin Hirose	115.00